


A WEEKLY JOURNAL OF PRACTICAL INFORMATION. ART. SCIENCE, MECHANICS, CHEMISTRY AND MANUFACTURES.

Vol. XLII.-No. 16.

NEW YORK, APRIL 17, 1880.

[\$3.20 per Annum. [FOSTAGE PREFAID.]













THE MANUPACTURE OF PRINTER'S TYPE.-FARMER, LITTLE & CO.'S FOUNDRY NEW YORK CITY-[See page 244.]

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT NO. 87 PARK ROW, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN,

Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.30 each: additional copies at same proportionate rate. Postage prepaid.

Remit by postal order Address

MUNN & CC., 37 Park Bow. New York.

EF To Advertisers.—The regular circulation of the SCHMIPPO AMERICAN is now Fifty Thousand Copies weekly For 1880 the publishers anticipate a still larger circulation.

The Scientific American Supplement

distinct paper from the Scientific American. The Supplement and weekly. Every number contains 16 octave pages, uniform in size Scientific and selection of Supplement a year, postage paid, to asheribers. Single copies, 10 cents. Sold by the dealers throughout the supplement of Suppl

Scientific American Export Edition,

SCIENTIFIC ANGRICAN Export Edition is a large and splendid perlissued once a month. Each number ocutains about one hundred quarto pages, profusely illustrated, embracing. (1.) Most of the and pages of the four preceding weekly issues of the SCIENTIFIC CAN, with its splendid engravings and valuable information; (2.) ereial, trade, and manufacturing announcements of leading houses. for Export Edition, 8.00 a year, sent prepaid to any part of the Single copies Si cents. [FF Manufacturers and others who desire ure foreign trade may have large, and handsomely displayed antents published in this edition at a very moderate cost. SCIENTIFIC AMERICAN EXPORT Edition, have large guaranteed circum all commercial places throughout the world. Address MUNN & Park Bow, New York. ation in all commercial places O. 37 Park Row, New York.

NEW YORK, SATURDAY, APRIL 17, 1880.

Contents.

(Illustrated articles are n	narked with an asterisk.)
(Illustrated articles are natural and artificial and artificial 34 Atrophae artificial 34 A	Museum of Art, Metropolitan Napier, John D. New York Exhibition of 1885 Notes and queries Patent decisions Petroleum in Rassia Photo-engraving Phylloxers pest, the Pipe tongs, improved " Pressee, hand and power " Railways of London Sciatica, nerve stretching in
Fishes on the Pacific coast	Sea worms, edible, the
Gaseous mixtures, comp. of 349	Sight for firearms, novel * Signaling instruction Sodawater, home-made
Glucose grape sugar, corn strup. 349 Glucose manufacture	Speed regulator, novel "
Horse collar, steel, improved * 248 Ice-making apparatus * 246	Sugar in sorghum
Industries, American *	Type, Farmer, Little & Co
Inventions, engineering	Type, manufacture of *
Inventions, miscellaneous 243 island, Souting	Wasp's strategy, a Water crosses
La t'inta Mining, etc., Co	Whater system of New York

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT No. 224.

For the Week ending April 17, 1880.

Price 10 cents. For sale by all newsdealers,
PAG
I ENGINEERING AND MECHANICS.—Light Draught Stern Wheel Steam Yacht. I illustration. The Mary, U. S. Survey of the Upper Mississippi. Small Steam Launch. I illustration. 365 The Severn Bridge.—The completion of the Atchison, Topeks. end Santa Fe Bailway. The Guns of the Future. 355 The Fracture of Cast Iron. 355 Apparatus for Hot Pressing Woven Fabrics. 2 figures. 356
II. TECHNOLOGY AND CHEMISTRY—Maileable Nickel and Cohalt Chalt Cohalt Cohalt Cohalt Cohalt Cohalt Cohalt Cohalt Chalt Ch
III. ARCHITECTURE. ART. MTC.—The Porosity of Building Materials. As important study of the condition and effects of natural variation.—The permedability of different building materials.—Some constant of the permedability of the condition of the constant
IV METALLURGY,—Why Does Steel Harden? Continuation of Mr. Metcall's important investigations (SUPPLEMENT No. 23s). Effects of repeated fardening.—Theoretical causes of hardening.—Princi- ples established.—Discussion.
V ELECTRICITY, ETC.—Dynamo-Electric Machines. (Continued from No. 22.) The Siemens Machines.—Systems of Herr Frolich, You Altesnets, Stemens, and Brequet. 12 figures. 366 The Electric Light. The Andre Jamp. 360 Weekermaan's Hydrocastic Inliance. 1 figure. 360 New Luminous Tubes. 366
VI. ASTRONOMY, ETCEdmund Halley. His life and work 257

VIII. MEDICINE AND HYGIENE.—Constiput save per st., and sa exciting cause of disease Albuminate of Iron.—Its Preparation

creditary Effect of Extirpation of the Spleen

THE NATIONAL PLANT OF THE CHINESE.

The uses of the bamboo, says Dr. S. W. Williams (author of "The Middle Kingdom"), are so numerous as to entitle this grass to be called the national plant. It grows naturally throughout the country nearly to the latitude of Pekin, di minishing in size and strength as one goes northward. The varieties induced during the long period of its culture are product of which art is capable. numerous, and a native writer on its propagation observes at the outset of his treatise that he could not undertake so much as to name them all, and would therefore confine him self to a consideration of sixty three of the principal. Some of them are like trees, forty or fifty feet high, with culms eight inches in diameter at the root; others resemble pipestems through their length, graceful and slender as a magician's wand; while one kind presents a black, and another has a bright yellow skin. This plant may well be called useful, for it is applied by the Chinese to such a vast variety of purposes that they are puzzled to get along without it when they emigrate where it does not grow. The tender but tasteless shoots are cut for food, either boiled, pickled, or comfited, as the customer wishes. The seeds, too, fur nish a farina suitable for cakes, and the Chinese have a proverb that the bamboo flowers chiefly in years of famine. The gnarled roots are carved into fantastic images of men, birds, monkeys, or monstrous perversions of animated nature; cut into lantern handles or canes, known in commerce as "whangees;" or turned by the lathe into oval sticks for worshipers to divine whether the gods will hear or refuse their petitions.

The tapering culms are used for all purposes to which poles can be applied in carrying, supporting, propelling, and measuring, by the porter, the boatman, and the carpenter in all cases where lightness, strength, and length are requi spears and the wattles of hurdles, the tubes of aqueducts and fans are all constructed of bamboo. The leaves are sewed cooking rice dumplings. Cut into slivers of various sizes, the wood is worked into baskets and trays of every form and fancy, twisted into cables, plaited into awnings over boats, houses, and streets, and woven into mats for the scenery of the theater, the roofs of houses, and the casings of goods. The shavings even are picked into oakum and mixed with those of the rattan, to be stuffed into mattresses. The bam boo furnishes material for the bed and the couch, chop-sticks to use in eating, pipes for smoking, flutes, curtains to hang in the doorway, brooms, screens, stools, coops, stands, sofas, and other articles too numerous to mention, of household necessity and luxury. The mattress to lie on, the chair to sit upon, the table to dine from, the food to eat, and the fuel to cook it with are alike derived from it. The ferule to govern the pupil and the book he studies both originate here. The tapering tubes of the native organ and the dreaded instrument of the lictor, the skewer to pin the hair with, and the hat to screen the head, the paper to write on, the pencil to write with, and the cup to hold the pencils; the rule to measure lengths, the cup to gauge quantities, and the bucket to draw water; the bellows to blow the fire with and the tube to hold the match; the bird cage and the crab net, the life preserver and the children's buoy, the fishpole and sumpitan, the water-wheel and eaves-trough, sedan, wheelbarrow, and handcart, with scores of machines and utensils, are one and all furnished or completed by this magnificent grass, the varied usefulness when cut down.

China could hardly be governed without the constant application of the bamboo, nor could the people carry on their daily pursuits without it. It serves to embellish the garden of the patrician and shade the hamlet of the peasant; it composes the hedge which separates their grounds, assists in constructing tools to work their lands, and feeds the cattle which labor on them. The boatman and weaver find its slender poles indispensable to their trades, while there is nothing the artists paint so well on wares and embroideries. The tabasheer found in the internodes has its uses in native pharmacy, and the silicious cuticle furnishes the engraver a good surface for carving and polishing.

THE METROPOLITAN MUSEUM OF ART.

The new building of the Metropolitan Museum of Art, in Central Park, New York city, was officially declared open to the public March 30.. A large number of prominent citi zens were present, including President Hayes and the Secretary of State. In accepting the building from the Park Department, the president of the museum spoke of the en couraging beginning that had been made in art collections, nd said that the de partment devoted to indu ised to be soon filled. The industrial art schools had made a good beginning and were proving successful. The main address of the occasion was delivered by Joseph H. Choate, on the history and future plans of the museum. Mr. Choate idle, but gradually to gather together a more or less com plete collection of objects illustrative of the history of art in all its branches, from the earliest beginnings to the present time, which should serve not only for the instruction and entertainment of the people, but should also show to the students and artisans of every branch of industry in the high and acknowledged standards of form and of color, what It was also a prominent feature of the plan, in which some progress has already been made, to establish a Museum of Industrial Art, as distinct from the beautiful in art, for the direct and practical instruction of artisans, showing the whole progress of development from the raw material. through every artistic process to the most highly wrought

The building now open forms one-twelfth of the plan of the grand structure proposed for the museum.

AIDS FOR THE DEAF.

Dr. C. H. Thomas, of Philadelphia, has been making a careful study of audiphones, dentiphones, and other devices for helping the deaf to hear. As stated in a lecture before the Philadelphia County Medical Society, since published in the Medical Times, the objects sought in his investigations

(1) To demonstrate the principles upon which their action is founded; (2) to determine the practical value and range of use of these instruments; (8) to devise other and more convenient and less conspicuous forms of mechanism which might be substituted for them; (4) to improve the quality and increase the volume of the sound conveyed; (5) to discover new physiological and pathological facts relating to the functions of vocalization and hearing; and (6) to throw open to professional, and so to public, use the results gained, thus supplying data for further investigation and invention.

It appeared that both the audiphone and dentiphone depend for their action upon the principle of acousties that solids-in this case in the form of thin plates-vibrate in unison with the sound waves produced in the air near them. In these instruments the vibrations are of sufficient force to be audible when conveyed to the internal ear through sites. The joists of houses and the ribs of sails, the shafts of the medium of the teeth and cranial bones, independently of the ordinary channel of hearing—the transmission being the rafters of roofs, the handles of umbrellas and the ribs of direct in the audiphone and indirect through the conducting string in the dentiphone. In the audiphone not tension but upon cords in layers to make rain cloaks, swept into heaps the arched form is the condition essential to its proper action. for manure, matted into thatches, and used as wrappers in for this form is that best adapted to impart the impact of sound waves against its convexity, which is then expended as thrust of the arch against the teeth, these forming one of its abutments.

To do away with conspicuousness and inconvenience of these instruments, Dr. Thomas made one in which the large receiving diaphragm was attached to a curved rod of wood or metal, like a pipe-stem. In this way the diaphragm was supported below the level of the face by the curved stem held firmly between the teeth, allowing the user to have his hands free and his face uncovered. In experimenting with different materials for diaphragms it was found that when substances lacking in resonance were used (such as celluloid and binder's board) flatness of tone resulted. Substances, which were over-resonant or over-persistent in their vibrations (as vulcanite and ferrotype metal) yielded ringing or confused sounds. The quality needed is that possessed by good sounding boards, of instantly responding to contiguous sounds and maintaining them during their continuance, and also of instantly ceasing to vibrate upon the cessation of the causative sound. This right sort of elasticity of resonance, that capable of reproducing human voice tones in their purity, is possessed to a high degree by fuller's board (or ress-board), which, when treated with shellac varnish and thoroughly dried, has proved not only far better than other paper or cardboards, but is also a great improvement upon the sheet metals or hard rubber, lacking the "reverberagraceful beauty of which when growing is comparable to its tions" and "roaring sounds" of the latter, as they are described by different patients upon whom they have been tested. Besides, owing to its greater elasticity, it is less destructible than either these or the thin sheets of wood which otherwise answered the purpose, while its cost is but

> The simplest instrument, one that excels either the audiphone or the dentiphone in the volume of sound transmitted, consists simply of a small rod of hard wood-a convenient size being about two feet long and a quarter of an inch thick one end of which is placed against the teeth of the speaker, the other resting against or between the teeth of the person hard of hearing. If the speaker now articulates in a natural tone of voice, the vocal vibrations will be transmitted in great volume through the teeth and thence to the ears of the deaf person

> Later observations show that it will also convey the voice distinctly when placed against the forehead or other portions of the skull of the hearer. It will also convey perfectly audible speech from the skull of one to that of the other, or in its absence such sounds may be conveyed by simply bringing the heads themselves in contact. Again, instead of the speaker holding it against his teeth, he may place it against art of his chest, when, upon using his voice, sound will be conveyed as before, of course independently of the teeth of either person.

.That these instruments are of great value in a considerable proportion of cases of deafness, Dr. Thomas thinks there said that the aim of the trustees was not to establish a mere is no reason to doubt, but there is, in his opinion, no just cabinet of curiosities which should serve to kill time for the ground for the public belief that with their aid the deaf are enabled to hear as well as those with ordinary hearing. On the contrary, they supply but a very small fraction of normal hearing-much less than a hundredth part. . The difference between normal hearing and that derived through these means is hardly less marked than that between sunlight and candle-light; nevertheless, this very small fraction is a priceless value in many cases, for to those who practically hear the past had accomplished for them to imitate and excel. nothing without them, who sit in acoustic darkness, the gain

less than infinity.

In view of certain strongly expressed statements which disappointing. Repeated tests show that those who are able to hear with the aid of the audiphone hear their own voices perfectly without it; while those who are unable to hear their own voices without it can hear no other voice with it.

SOME ELECTRICAL MEASUREMENTS OF ONE OF MR. EDISON'S HORSESHOE LAMPS.

BY HENRY MORTON, PH.D., ALPRED M. MAYER, PH.D., AND B. P. THOMAS, A. M. AT THE STEVENS INSTITUTE OF TECHNOLOGY.

Much has been written and said within the last few months on the subject of Mr. Edison's new horseshoe lamps, and with all the writing and saying there has been wonderfully little produced in the way of precise and reliable statement concerning the simple primary facts, a knowledge of which would give the means of estimating both the scientific and commercial status of this widely discussed inven-

It was, therefore, with great pleasure that the present writers found themselves, through the kindness of the SCIENTIFIC AMERICAN, placed in possession of one of these horseshoe lamps of recent construction.

To satisfy themselves as to the real facts of the case they soon made a series of careful measurements and determinations, and as the results of these are likely to interest others, they now put them in print for general benefit.

A further examination of other lamps would have been made at the same time had opportunity offered; but as a communication on this subject addressed to Mr. Edison didnot evoke a reply, they are obliged to content themselves with the one lamp as a subject of experiment.

They would, however, here remark that the behavior of this lamp, under the tests, and the agreement of its results with information otherwise obtained, convince them that it is at least a fair specimen of the lamps of this form so far produced at Menlo Park.

The first object, on receiving the lamp, was to determine roughly what amount and character of electric current would be needed to operate it efficiently. With this view a number of cells of a small Grove's battery were set up, having each an active zinc surface of twenty square inches and a platinum surface of eighteen square inches.

The lamp being placed in the situation usually occupied by the standard burner in a Sugg's photometer, the battery was, cell by cell, thrown into circuit.

When ten cells had been introduced the horseshoe showed a dull red, with fifteen cells a bright red, with thirty-four cells the light of 1 candle was given, with forty cells the be burned. light of 41/2 candles, and with forty five cells the light of 9; candles, and with forty-eight cells 16 candles.

Having thus determined what amount of electric current would be required for experiments, arrangements were made to measure accurately the resistance of horseshoe while in actual use and emitting different amounts of light. The resistance of this carbon thread at the ordinary temperature had been already determined as 123 ohms in the usual way, but it was presumed, as had been shown by Matthiessen (Phil. Mag., xvi., 1858, pp. 220, 221), that this resistance would diminish with rise of temperature.

To measure the resistance under these circumstances the apparatus was arranged as follows: The current from the battery was divided into two branches, which traversed, in opposite directions, the two equal coils of a differential galvanometer. One branch then traversed the lamp, while the other passed through a set of adjustable resistances composed of German-silver wires stretched in the free air of the laboratory, to avoid heating. (Careful tests of these resistances showed that no sensible heating occurred under these circumstances.)

Matters being thus arranged, the resistances were adjusted until the galvanometer showed no deflection when the candle power of the lamp was taken repeatedly in the photometer, and the amount of resistance was noted.

These measurements were several times repeated, shifting the coils of the galvanometer and reversing the direction of

The results so obtained were as follows

	en med .	•	**		18	9.1	100	•	-	**		-	•	281	•	-	-	-	•	6	
Resist	ances,																			C	ondition of Loop.
123	ohms																-				Cold.
94	0.6																				Orange light.
83.7	64																				ra candle.
79.8	44																				5 "
空医	41			-				-			1	-	-	-	-		-			-	10 41

The photometric measurement was in all these cases taken with the carbon loop at right angles to the axis of the photometer, which was, of course, much in favor of the electric turning the lamp round so as to bring the carbon loop with its plane parallel with the axis of the photometer, e, the edge of the loop turned toward the photometer disk, the light was greatly diminished, so that it was reduced to almost one-third of what it was with the loop sideways to the photometer disk.

Having thus determined the resistance of the lamp when in actual use, it was next desirable to measure the quantity of the current flowing under the same conditions.

To do this the current from fifty cells of battery was passed through a tangent galvanometer as a mere check or indicator of variations, and then through a copper voltameter, i. e., a jar containing solution of cupric sulphates

lamp, placed in the photometer.

Under these conditions it was found that during an hour have obtained currency, the results to be derived from the light gradually varied from about 16 candles at the benave of the audiphone in deaf-mutism are likely to prove very ginning to about 14 candles at the end, making an average of about 15 candles, measured with side loop of toward disk.

The galvanometer during this time only showed a fall of half a degree in the deflection of the needle.

Carefully drying and weighing the copper electrodes, it was found that one had lost 1 0624 grammes.

Now, it is well known that a current of one weber takes present case must have been on the average $\frac{1.0624}{1.1796} = 0.905$ webers, or a little less than one weber.

Having thus obtained the resistance of the lamp when emitting a light of 15 candles, namely, 76 ohms, and the amount of current passing under the same conditions, namely, 0.905 weber, we have all the experimental data rewe multiply together the square of the current, the resistof seconds in a minute. Thus, in the present case, we have foot pounds.

foot pounds per minute in a horse power, that is, 33,000, we have 0.08, that is, about eight one-hundredths or one-twelfth of a horse power as the energy expended in each lamp

It would thus appear that with such lamps as this, one horse power of energy in the current would operate 12 lamps of the same resistance with an average candle power of 10 candles each,* or 120 candles in the aggregate.

Assuming that a Siemens or Brush machine were employed to generate the electric current, such a current would be obtained, as has been shown by numerous experiments, with a loss of about 40 per cent of the mechanical energy applied to the driving pulley of the machine. To operate these 12 lamps, therefore, we should have to apply more than one horse power to the pulley of the machine, so that when this loss in transformation had been encountered there should be one horse power of electric energy produced. This would call for 11 horse power applied to the pulley of the dynamo-electric machine, by the steam engine

To produce one horse power in a steam engine of the best construction about three pounds of coal per hour must be burned, and therefore for 11 horse power 5 lb. of coal must

On the other hand one pound of gas coal will produce 5 cubic feet of gas, and will leave, besides, a large part of its weight in coke, to say nothing of other "residuals," which will represent practically about the difference in value be-

tween "steam making" and "gas making coal," so that it will not be unfair to take 5 lb. of gas coal as the equivalent of 5 lb. of steam coal. These 5 lb. of gas coal will then yield 25 cubic feet of gas,

which, if burned in five gas burners of the best construction, will give from 20 to 22 candles each, or 100 to 110 candles in the aggregate.

We have, then, the twelve Edison lamps producing 120 candles and the five gas burners producing 100 to 110 can dles, with an equivalent expenditure of fuel.

If each apparatus and system could be worked with equal facility and economy, this would of course show something in favor of the electric light; but when in fact everything in this regard is against the electric light, which demands vastly more machinery, and that of a more delicate kind, requires more skillful management, shows more liability to disarrangement and waste, and presents an utter lack of the storage capacity which secures such a vast efficiency, convenience, and economy in gas, then we see that this relatively trifling economy disappears or ceases to have any controlling importance in the practical relations of the sub-

THE AMERICAN FISH CULTURAL ASSOCIATION.

The ninth annual meeting of the American Fish Cultural Association began in this city Marc' 30. A large number of gentlemen interested in fish and fishing were present. The President, Mr. R. B. Roosevelt, read an interesting paper on hybrids. Mr. Seth Green contributed an account of his experience with California mountain trout, brook trout, and black bass at the State hatchery, with remarks on cray-fish

Mr. Hugh D. McGovern submitted a short paper on the discovery made by him of a curious habit of eels. At the Brooklyn waterworks, among the wet moss growing on the crown of an arch over a waterway, 12 inches above the surface of the water, he found thousands of small eels, who seemed to live there, clinging to the moss as flies cling to the ceiling. The fact was important, as showing how this fish could move from water to water. To reach the moss these eels must have climbed up the 12 inches of wet wall above the surface of the water.

Mr. Livingston Stone, U. S. Assistant Commissioner of Fisheries, followed with an important paper on the transportation of live fish. Mr. James Annin gave an illustration of

* The candle power being 15 candles in the best position, at right angles to this, the average or general illuminating lamp is 10 candles.

is all the difference between nothing and something—scarcely with copper electrodes immersed, and then through the trout stripping in artificial propagation, using a number of male and female trout from his ponds on Long Island. Mr. Charles Hallock gave a description of Labrador fishing, and Mr G. Lamphear read a short but valuable paper comparing the statistics of Fulton Fish Market for 1878 and 1879. His figures showed that 34,276,666 pounds of fish were sold in Fulton Market during the year 1879-'80, an increase of 646,700 pounds over the previous year. In addition, 1,509, 56t mackerel had been sold and 291,845 shad.

The next day Prof. Brooks, of Johns Hopkins University, described the propagation of the oyster; and Prof. Atwater, up 0 00326 gramme of copper per second, which would make of Wesleyan College, read a paper on the nutritive qualities 1 1736 grammes in an hour; therefore the current in the of various kinds of fish. Prof. Brooks believes that the oysters of the Chesapeake do not breed in the same way as European oysters do; that the sexes are separate; and that to propagate oysters artificially the males and females should be chopped up together and thrown into the water, so as to thoroughly mix the eggs and milt.

In this way, he thinks, the oyster might be propagated with profit, using for the purpose small ponds. All quired for the determination of the energy transformed or this learned trifling will be very amusing to the practical oysexpended in the lamp, expressed in foot pounds. For this termen of Connecticut, who, for a score of years, have successfully propagated oysters by the square mile. Their ance, the constant 0.737335 (which expresses the fraction of trouble is not to get an abundance of young oysters. At a foot pound involved in a current of one weber traversing certain easily recognized times the Sound waters swarm with a resistance of one ohm for one second), and the number them, ready to attach themselves to any clean "stools" presented to them. The real trouble is to defend the oyster $0.905^\circ = 0.8125$, and $0.8125 \times 76 \times 0.737335 \times 60 = 2753.76$ farmer's acres of partially grown oysters from the swarms of star-fish and other marine vermin which prey-upon them; Dividing these foot pounds per minute by the number of for which defensive work steam dredging seems to be the only economical and certain resource.

PHOTO-ENGRAVING.

In general terms the process of producing engravings or types for printing by photography, consists, first, in making a sharp negative of the picture to be engraved; second, in the photographic printing of a sheet of sensitized gelatine by means of the negative; third, the development of the printed lines upon the surface of the gelatine by water; and fourth, the casting of a copy of the developed gelatine sheet in metal, the metal so produced being used for printing on the press in the ordinary manner. All this is very simple, and in the hands of experienced and skilled persons very beautiful examples of printing plates, having all the fineness and artistic effect of superior hand engraved work, may be pro-

Among the earliest and most extensive efforts to introduce this process commercially were those of Mr. John C. Moss, of this city, to whose persevering labors the public is chiefly indebted for the successful establishment of the new industry in this country.

Mr. Moss has finally concluded to give the public the benefits of all his latest improvements in this line, by the organization of a new corporation known as "The Moss Engraving Company," whose first announcement will be found in our advertising columns. Every description of engraving and printing plates is done in a superior manner by the company promptly on very moderate terms. The Moss process has been used on the SCIENTIFIC AMERICAN, especially on our Supplement, for several years past, and we therefore speak from experimental knowledge when we say that it is good and reliable. The motto of Mr. Moss's company is The best work at low prices, always on time." In all our past experience with Mr. Moss, although we have given him many perplexing jobs, we have never known him to fail in carrying out the above motto. The Moss Engraving Company has a large and splendid establishment at 435 Pearl St., New York, which is fitted up in every department with the latest and best appliances for the execution of good work. It deserves and will doubtless command an extensive patron-

THE NEW YORK EXHIBITION OF 1885.

A bill to provide for celebrating the one hundredth anniversary of the treaty of peace and the recognition of American independence by holding an International Exhibition of arts, manufactures, etc., in New York, in 1883, passed the Senate March 31. It incorporates the United States International Exhibition, composed of well known New York gentlemen, whose official functions are to continue until the close of the Exhibition. It will be their duty to fix the date of the Exhibition, make the needed preparations for it on a site within the corporate limits of the city of New York, and to superintend the Exhibition during its progress. The bill provides further that the corporation shall cease to exist on or before January 1, 1885. Congress may at any time alter or repeal the act, and the United States are not to be liable for any of the acts or representations of the promoters of the enterprise. Not less than \$1,000,000 must be subscribed, and not less than 10 per centum thereof must be paid in before the corporation may do any corporate act other than organize, and no part of the capital stock or assets is to be withdrawn, refunded, or divided among the stockholders until all the debts are fully discharged.

Glucose Manufacture.

There appears to be quite a furor in the West in connection with the manufacture of glucose from corn. A large number of factories are being set up; one at Chicago, it is said, will have a capacity of 20,000 bushels a day. A bushel of corn produces 30 pounds of glucose (grape sugar) or 3 gallons of sirup. The sugar costs 2 cents a pound, the corn selling at 40 centà a bushel.

Artificial Atropine.

Up to the present time the artificial preparation of an alkaloid has not been successfully carried out. Vanilline and other organic products formed in plants have been made, pany of Syracuse, N. Y. These presses are adapted to a and a substance isomeric with conline was also made some years since. Ladenburg has recently taken an important expressing lard or step in the matter of making artificial atropine. He has, in tallow, making cifact, prepared the alkaloid, but the materials employed in its preparation, namely, tropine and tropic acid, have not yet been obtained from any other source than from atropine. When atropine is acted upon by baryta or hydrochloric acid, it breaks up into tropic acid and tropine. To be able to unite these two bodies again, so as to form the true atropine, may seem a small affair, and yet it is often very difficult. Every one knows how grape sugar splits up into alcohol and carbonic acid, if yeast is present, yet no one has ever been able to convert alcohol into sugar by acting upon it with carbonic acid. The conversion of cane sugar into glucose is easy enough, and yet the opposite is impossible. The destruction of complex organic compounds is always easier than their production, and whenever we succeed in rebuilding a body from simpler ones we have made an important same power at the step in the direction of its synthesis. To decompose the tropic acid into simpler bodies, perhaps into substances that have already been prepared, and then to reverse the operation, will be the next duty of Dr. Ladenburg.

Atropine is the active constituent of belladonna, and poss, with other properties, the remarkable power of dilating the pupil of the eye, whether introduced into the eye, taken into the stomach, or injected beneath the skin.

The artificial atropine prepared by Ladenburg has the same effect upon the eye. Both the natural and the artificial alkaloids possess the power of neutralizing the action of muscarine upon the heart. Physically they have the same melting points, and both crystallize in brilliant needles. The precipitates formed by tannin, mercurio-potassic iodide, picric acid, chloride of gold, etc., have the same properties whether the natural or artificial atropine is employed. When heated with sulphuric acid and bichromate of potassium they each evolve an odor of benzoin. These remark able physical and chemical coincidences leave no reasonable doubt of their identity.

The Effect of Coffee Again.

Dr. Richardson, the eminent English scientist, in respect to the popular notion that coffee is an unhealthy beverage, that it keeps up a constant irritation of the stomach, and brings on depression of spirits, etc. There was a great deal of truth in that statement, says the doctor, as coffee cannot be taken in excess without producing dyspepsia and irritation, but moderately used it is an invigorating, healthful, and scholesome drink, bringing a man's best energies into play, The quantity taken, however, must not be large, and should be

Dr. Bock, of Leipsic, another celebrated scientist, says: "The nervousness and peevishness of our times are chiefly attributable to tea and coffee: the digestive organs of confirmed coffee drinkers are in a state of chronic derangement, which reacts on the brain, producing fretful and lachrymose moods. Fine ladies addicted to strong coffee have a characteristic temper, which I might describe as a mania for acting the persecuted saint. Cocoa and chocolate is neutral in its psychic effects, and is really the most harmless of our fashionable drinks."

Nerve Stretching in Obstinate Sciatica.

At a recent meeting of the Harveian Society, London, Mr. Pye read a paper on nerve stretching. A patient had suffered for many years with severe sciatica, for the treatment of which huge doses of morphia had been used. The patient was in severe pain when not under the influence of morphia. The nerve having been laid bare, it was pulled backward and forward, forcibly, with from eight to ten pounds pressure. The wound healed well, the pain was lost, and some paresis followed. The paresis wore off, and some pain was felt in the lower leg, but there was no return of the sciatica. The patient was able to resume work. The sciatica was probably rheumatic. The list of cases of nerve stretching yet performed is not large enough to settle the question of the justifiableness of the operation. Mr. Pye then reviewed very carefully the history of the operation. It has been less successful in the treatment of tetanus than neuralgia. When the nerve was compressed by an inflammatory area the operation promised well. In cases where the skin had become altered a change toward the normal condition followed, as well as the relief of pain.

Petroleum in Hussia.

From an official report addressed by Colonel Romanowsky to the Russian Minister of Finance, it appears that the principal petroleum depots in the Russian Empire are to be found in the southeastern and northeastern districts of the Caucasus, that is to say, in the province of Bakou, on the shores of the Caspian Sea, and in the province of Kouban, in the vicinity of the Black Sea. According to the statements of some Russian engineers, there are no less than 250 localities within these provinces where enormous quantities depots, if properly worked, could be made to yield 660,000,-000 gallons per annum. The Bakou oil is thick and heavy, suitable for heating and for rough purposes in general; the in lamps.

IMPROVED HAND AND POWER PRESSES.

We give on this page engravings of several varieties of presses made by the Boomer & Boschert Press Comgreat range of work, such as baling cloth, pressing paper,

der, wine, etc., and are built in different sizes to be operated by hand or power.


An almost endless number of devices have been used for obtaining pressure, the most prominent being the screw, the lever, and the hydraulic press, but these without exception give the beginning and end of the work.

In expressing lard and tallow or the different oils, well as most other

substances, but little power is required in the early part of the operation, and the constantly increasing resistance requires a corresponding increase of power. The construc-

tion of the Boomer & Boschert press is such as to insure a regular increase of power with every turn of the screw which tends to straighten the toggles, while the movement of the follower is proportionately less. The development of pressure and increase of resistance are so nearly equal that the same power that is applied at the beginning of the pressing operation is competent to finish. For example: one man with a hand power press can easily perform the task from beginning to end. This "progressive power," as the manufac-turers term it, is perfectly

F.g. 1.-CLOTH BALING PRESS.



The paper press shown in Fig. 2 is made of iron in different sizes. The length of the rods controls the distance between the base and follower and the capacity of the regular sizes of this press may be varied by using longer or shorter




Fig. 3. POWER CIDER PRESS

The power cider press represented in Fig. 3 has a double easily and quickly. By means of this arrangement one cheese may be pressed while another is being made ready.

In this connection we give an engraving of Messrs, Boomer Kouban oil is of better quality for refining and for burning & Boschert's apple grater, which is very efficient and well adapted to the work it is required to perform.

The frame of the grater is made of iron, giving a security, strength, and stability which no wood frame, however well The cylinder is of iron, turned and caremade, possesses. fully balanced. It has planed grooves to receive the knives eight in number-which are adjustable by set screws, above and below at each end, and held firmly in their places by a heavy wrought iron band shrunk on each end of the



Fig. 4.-APPLE GRATER.

The concaves consist of five iron levers with movable weights, allowing stones or any other hard substances to pass through without injury to the knives.

Fig. 5 shows a press made on the same principle as the others and especially designed for kettle rendered scrap. It is provided with an improved hoop consisting of a cast iron section or post, which forms about one sixth of



Fig. 5.-LARD PRESS.

the hoop, is firmly bolted to the bed of the press, and arranged with hinges upon which swing two doors that complete the circle when fastened together. These doors are constructed of wrought iron hoops and staves, with steel fastenings.

When the pressing is completed, the doors are unfastened and swung open, the cake is removed, the doors are swung together and again fastened,

thus avoiding much of the heavy lifting attending the use of other kinds of hoops.

These presses have been extensively introduced in the principal cities of this country-as well as Europe, South America, Mexico, and to some extent in Asia, and are deserving of the success they have attained.

Floating Island.

Among the many natural curiosities of Tuolumne county it is not generally known that there is a "floating island." Up in the "Siskiyous," lying like a pearl in the great mountain chain, is Squaw lake, a beautiful sheet of water, now utilized by a mining company as a reservoir. For many years the lake has been a favorite and delightful resort for fishing parties, and contained nearly in its center an island, comprising about an acre of ground, covered with luxuriant grass and a growth of willow and aider. It was never dreamed that the pretty little island was not terra firma, but when the bulkhead across the outlet of the lake dammed up its waters, the island rose slowly until it had been elevated fully 16 feet above its original level. It would be a question for the naturalist rather than the geologist to determine the age of this floating island, as it is evidently made up entirely of decayed vegetation. Perhaps at some remote period the roots of a tree, uptorn by the mountain storm, drifting out in the lake, formed the nucleus from which the island has grown, but it seems singular that it should have remained anchored and unchangeable in its position. The locality is much frequented by pleasure seekers who will hereafter notice the increased elevation. - Jacksonville Sentinel

Home Made Soda Water.


The artificial seltzer water, made with a carbonic acid generator, is already an imitation, far from perfect, of the natural water. A receipt to make it on the small scale for family use, as it were, can only give a product differing still more from that of the spring. Yet the following would

Citrate of iron

Dissolve all the salts, excepting the tartaric acid and the platform, which is mounted on a truck, movable on a track bicarbonate, in about one pint of water, and introduce the on the floor. The shifting gear is worked by a crank, and solution into a champagne bottle. Then, having completed of petroleum can be found. It is said/that 100 of these is arranged to move the platform across the bed of the press the requisite quantity of liquid so as to leave an empty space of about two fluid ounces, add the tartaric acid, and, immediately after, the bicarbonate of soda. Cork the bottle tightly, secure the cork with stout cord, and set the bottle aside for about six hours before it is opened. It is then ready for use.

NEW METHOD OF BUOYING VESSELS.

The annexed engraving represents a novel method of preventing the careening or rolling of vessels while discharging spars or logs; this improved method consists in attaching a line to airtight casks floating on the water at the sides of the vessel, and passing a line from each cask under the keel and up the opposite side of the vessel, where it is made fast. The casks employed for this purpose may be the ordinary water casks carried by all vessels. If one cask on each side is in-sufficient to produce the desired result two or more may be used. By this arrangement the least inclination of a vessel to roll is checked, and the cargo may be discharged without fear of careening.



WHEEDEN'S METHOD OF BUOYING VESSELS.

This device is adapted to pontoon bridges, floating docks, and may be applied to great advantage to disabled and leaky vessels at sea

Further information may be obtained from the patentee, Mr. James C. Wheeden, 97 South Broadway, Baltimore, Md.

NEW CHECK-ROW, CORN PLANTER, AND FERTILIZER.

The machine shown in the annexed engraving is designed for planting corn in perfect check-row, so that the rows will be straight each way, and for delivering a limited amount of fertilizer to each hill.

The running wheels and the markers, G, are mounted on There is a popular prejudice that young men who have been

a sleeve placed on a shaft which runs through the lower portion of the body of the planter. The markers, G, consist of three segments connected with a central hub, and having arc-shaped bars concentric with the running wheels and provided with feet or markers which, by indenting the ground, make an impression that serves as a guide for dropping the next row. As the relative position of these markers may at times require changing, they are connected with the arc shaped bars by clamp plates and bolts so they may be rea dily fastened at any desired

On the outer sides of the hubs of the markers there are ratchet wheels which are engaged by pawls carried by the running wheels, and the inner sides of the marker hubs carry spur wheels for driving the seeding and fertilizing devices. The pawls which carry the markers are provided with handles for easily operating them from the outside of the running wheels, and they are held

which take motion from the wheels on the marker hubs. vastly more real learning, and that of a more useful kind, of any one bell in the circuit, whereby one station may be The cams, A B, are arranged to oscillate the rock shafts, than the average collegian carries away from college.

C D, which, in turn, operate the feed slides, E F, which are so arranged as to drop seed and fertilizer into their respective hoppers, E being the seed slide, and F the fertilizer in port. Ordinarily vessels without ballast are supported by slide. In the seed slide there is the customary space for the reception of a few grains of corn which are to be dropped. This little chamber is pulled through the side of the seed box and allowed to drop into the hopper communicating with the spout by a flexible tube. To prevent the corn from becoming packed in the slide, the seed box is made with an

> pass without mashing it. The slide, F, is made adjustable so as to vary the quantity of fertilizer dropped with the seed. The grain spout and the fertilizer spout are connected together with the grain spout in advance, and they terminate in a plow or opener, behind which there are coverers.

> expanding opening, which expands and allows the grain to

The engraving shows the planter in its simplest form, adapted to a single row of corn, but it is obvious that a machine may be constructed on the principle to plant a number of rows simultaneously.

Purther particulars in regard to this invention may be obtained from the patentee, Mr. H. F. Graetzel, of St. Joseph, Md.

John D. Napier.

Mr. John D. Napier, of the well known firm of Napier Brothers, manufacturing engineers, Glasgow, Scotland, died Friday, March 12. Mr. Napier was trained as an engineer by his father, the late David Napier, the pioneer of deep sea steam navigation in Great Britain. In early life he took a prominent position among the practical engineers of London. Subsequently he spent a number of years in Australia; but for a considerable period he had resided in Glasgow, ranking high among the leading mechanical engineers of his

Illiterate Collegians.

Mr. Charles Dudley Warner says, in the Christian Union that he was told not long ago, by a professor in one of our leading colleges, that a freshman came to him, after he had been recommending certain books in the literature class, and said he had never read a book in his life. This was literally true. Except his text-books, he had never read a book he had passed a fair examination, but of reading he knew no more than a Kaffir. Another professor in another college, also one of the highest in the country (both of these are Eastern colleges, in the center of the best culture in America) told Mr. Warner more recently that a sophomore, who stood well in his class, came to ask him where he obtained certain facts which he referred to in the class room. It came out that the young man never had read a book, didn't know what the sensation was, or how to set about it, and had not the faintest conception of literature. He had no notion of the pleasure or profit to be got from reading; the world of books was absolutely beyond his imagination, and he could not conceive what people found in it. The professor at length induced him to read one of Scott's novels, but the boy found it a very tedious and uninteresting occupation.

These two instances Mr. Warner thinks extreme only in degree, and insists that it is a common thing for undergraduates to be ignorant of everything but their text-books.


IMPROVED STEEL HORSE COLLAR

We give herewith an engraving of an improved steel horse collar recently patented in the United States, Canada, Great Britain, France, Belgium, and Germany by Messrs. Fisher & Watson, and is being manufactured and introduced by Mr. R. Carter, of Brooklyn, N. Y.

This collar is swaged out of thin plates of steel, and is light, strong, and low priced.

A great difficulty has been encountered in attempting to provide metallic collars with suitable couplings or fastenings, which will not only connect the two halves or flanged sec tions of the same with the requisite security and rigidity, but also permit convenient adjustment, for the purpose of enlarging or diminishing the capacity of the collars, so as to adapt them for use on horses of different sizes, or on the same animals under different conditions. After many experiments Messrs. Fisher & Watson have succeeded in producing a flanged metallic collar whose fastenings are of such a character as to permit easy and quick adjustment for varying width or length without weakening the connection and lessening the rigidity of the collar, and are at the same time light, compact, and durable.

With this collar no hames are required, as the traces are connected directly with the collar. It is perfectly smooth



STEEL HAMELESS HORSE COLLAR.

and hard, absorbing no perspiration, and cooling the shoulders by the hollow conformation, always exposed to the air; fitting closely to the neck and shoulders, all lateral motion is prevented, as well as any folding or creasing of the skin so often caused by the stretched or loose lining of the padded collar; it will never gall, and upon sore shoulders will exercise the same healing properties as the well-known zinc pad. Further information may be obtained in relation to this invention by addressing Mr. R. Carter, 305 Quincy street, Brooklyn, N. Y.

MISCELLANEOUS INVENTIONS.


Mr. Ebnezar H. Sturges, of Wing's Station, N. Y., has

patented a compact and convenient safe or receptacle for receiving and keeping housekeeping utensils conveniently and handy for use. It consists in a safe having compartments for knives, bottles, sugar, spices, and other articles.

Mr. Max Rubin, of New York city, has patented a bottle stopper provided with a discharge spout, and so constructed that the spout may be covered and uncovered by closing and opening the stoppers.

An improved store counter has recently been patented by Mr. Henry H. Henderson, of New Glasgow, Nova Scotia. The invention relates means for supporting the hinged covers of the sections; and it consists in two jointed bars or rods, one pivoted on the inside and the other pro vided with an eye that slides on a keeper attached to the under side of the cov combination with a notched cam on the inside of one end of the section, so that the pivoted rod catches behind the shoulder when the cover

Mr. John D. Richardson, Jr., of Newport, R. I., has haled in supports projecting from the rear of the body of mon thing for untaught mechanics, used to reading good patented an improved electric call bell. The object of the the planter, and is provided with spur wheels at each end books and a paper like the Scientific American, to have invention is to permit the operation from the central station which takes the second which t called without giving an alarm at any of the others.



GRAETZEL'S CHECK-ROW CORN PLANTER AND FERTILIZER.

either in gear or out of gear by a double-acting spring. graduated at college are "liberally educated," and that no is opened and holds it firmly in position. A shaft carrying two grooved zigzag cams, A B, is jour-

AMERICAN INDUSTRIES, No. 39.

THE MANUFACTURE OF PRINTER'S TYPE.

As there are nearly 8,000 newspapers in the United States, and probably twice as many printing offices for the production of every class of work from a merchant's card or letter head to a cyclopædia, it follows that the business of type-founding must be one of considerable magnitude. At first it was only a branch of the printer's trade, but it early developed into an essentially distinct business. a printer would no more think of making his own types than a tailor of weaving the cloth he cuts.

The forms of printing types and the manner of their use are so commonly understood that no account of them is needed here. The types with which all letter-press work is done must be uniformly "type high," which is a trifle over will contain about 25,000 separate pieces, counting the points, the spaces, etc., although, as "set up" by the compositor, the "spaces" between the words, the "leads" between the lines, the "quadrats" for filling out the blanks at the ends of paragraphs, etc., not being "type high," do not show in the print. Counting the capitals and small capitals, the italics, figures, punctuation and reference marks, etc., there are about 250 different pieces in every font of type, and all of these pieces must be kept in complete assortment for each different size of type, as well as for every different "face." There are, for instance, five different regular sizes of type smaller than that in which this article is printed, and in each of these sizes there are many different faces, even in the plain Roman styles, to say nothing of hundreds of kinds for ornamental work. These types have little nicks low down on the body of the metal, by which the compositor may readily see how to place them right side up, and a small groove is taken out of the bottom, so that each type, when composed in the page or column, will stand on its "feet," as they are called. It will be seen how exact must be the measurement and "fit" of each of these little pieces when it is remembered that, in the slight iron frame which holds them together in the pages of the largest newspapers, the pressure from the sides put upon the types, so that they will hold together in a body when lifted, is only just sufficient to overcome the weight of the metal. The types, thus set up in columns and pages, are ready for the press, except the work is of sufficient importance to have stereotype or electrotype plates made, in which case the types are used only to make the mould, and the printing is done from the plates. The Scientific American is printed from electrotype plates, which give a sharper and clearer impression, and will also allow of the printing of a much larger number of copies before showing wear on the fine lines of the en gravings, than can be obtained from any stereotypes. The most of the large daily papers are now printed from stereotype plates. This improvement has been introduced within the past twenty years; the plates are necessarily made very quickly, and with many imperfections which would not be tolerable in fine work, but the making of plates greatly facilitates the printing of all large editions, for, the type being once composed, any desired number of plates can readily be produced. It is worthy of remark, however, that the general adoption of the practice of stereotyping their forms by the leading newspapers, and the copper-facing of the type, whereby the wear of the letter is greatly extended, seemed to have hardly any effect on the business of type founders; the demands for larger quantities and a greater variety of type have grown so steadily that even these great improvements did not appear to diminish the call upon the founders.

We have in the preceding three numbers sketched the manufacture of power printing presses, book paper, and printers' ink, and, for our illustrations in this paper of the manufacture of printer's type, so naturally associated with the above, and completing this class of industry, we show the leading operations in the large type foundry of Messrs. Farmer, Little & Co., of New York, a firm employing from 175 to 200 hands in the business, and making all descriptions of printer's plain and ornamental types, borders, rules, dashes, etc., besides making their own type-casting machines, steel punches, matrices, etc.

The large view at the bottom shows the main type-casting room, which occupies the entire top floor of the large six story building, 63 and 65 Beekman street, seen in the central picture. The machines for casting are most of them ranged around rear the windows, to give the best of light, which is very important. The machines only take up about as much room each as a sewing machine. Each one of them has a little coal-burning furnace for melting the type metal, and fine watch. about a quart of the molten metal is held in an open reservoir at the top. Though these machines are sometimes brass rules, which are always used between the columns of operated by power, the advantage of so doing is by no means clear, for there must be so many stoppages in doing etc. The sheet brass used for this purpose is furnished by careful work that but little can thus be gamed. The opera- the brass manufacturers cut in strips of proper width to tor turns a crank, which brings the mould up to a little allow of facing, and of the required thickness. The facing spout projecting from the pot, from which the metal is and finishing of these to make ordinary newspaper rules is forced into the mould, when the latter flies back and auto- done with planers, by hand, but for making wave rules and matically drops its type, this operation being repeated with ornamental dashes, different kinds of steel cutters are used. every turn of the crank. Care must be taken that neither | Here also the "leads" and "slugs" are made. The former the metal nor the mould get too hot, and the mouth of the are thin strips of type metal, cut to the width of the col spout must be frequently cleaned of refuse metal not taken umn, and placed between the lines of type when it is dein by the mould.

fifty per cent cheaper than they were by hand. The speed at of the page and the first line of type.

the plain newspaper types coming from the machine as fast as 100 or more a minute, while the ornamental types and all larger job types have to be cast a good deal slower In the latter case a perceptible interval has to be allowed for the hardening of the metal in the mould, which, with the smaller types, is instantaneous; and in all scripts, where a portion of the letter extends over the body, the work has to be done slowly to prevent these parts from being broken off.

In the view at the upper left hand corner may be seen the work of dressing and finishing the types after they come from the casting machine. Each one, as it drops from the mould, has a little jet or ingot of surplus metal attached to the foot; these are broken off singly by boys, when men rub the broad sides of the types on stones to remove any roughness on the edges; where the metal has to be dressed out seven eighths of an inch. Of these types, a page such as this around a face projecting over the body, workmen of a different branch are employed, called kerners. After this the types are arranged on long rules or dressing sticks, in lines three feet long, and, each line being firmly fixed in a kind of metal planer, a cutter is passed over the edges, to make them perfectly true. A light scraping is then taken off the body of the type next the face, and a groove is run through the bottom, where the little jet or ingot of surplus metal had been broken off, and making the "feet." This work is all done by the piece, the casters, dressers, and finishers being all paid so much a pound, according to the size and kind of type.



CASTING TYPE,

The right view at the top shows where the steel dies or punches are made, and where the types, as they come from the finishers, are divided up into the proper allotment of letters and sorts for each different font. Type founders take orders for fonts of all sizes, but in the making of plain body letter it is usual for them to arrange all that is necessary for a complete font in a "scheme" for about 300 or 600 pounds. and then, when any smaller amount is ordered, divide up the type proportionately. Before this work is done, how ever, the types are all carefully examined with magnifying glasses to see whether any imperfect or defective letters have been passed by.

The letter engraving, which is also shown in this view, consists entirely in cutting the dies on steel for the face of the letters. Soft bar steel is used, which is hardened after the cutting, and all the work is done by hand. These dies are used for making matrices, in copper, to place in the moulds for the different faces required. These matrices are struck out of a piece of copper weighing at least three times as much as they do when finished, and then worked down, so as to insure the greatest exactness.

In the illustration at the right in the middle, is shown the department where the type-casting machines are made, and where the matrices and moulds are severally adjusted. There are a good many pieces required in the mould for casting a type no larger than a pin, and these, while being constantly subjected to a pretty high temperature and wear ing usage, must be kept as true and exact as the works of a

In the same room also may be seen the work of making type in newspape sired to give the printed matter a clean and open appear-The type casting machine was first successfully operated ance. This page is leaded, with perhaps two leads between in this country about 1840. By its use type are cast fully the head lines, and a thin slug between the rule at the top

which it may be run varies according to the kind of type, In the illustration at the left, in the middle, is shown can be made and are introduced in the code.

the process of electroplating, with copper, the illustrations, newspaper headings, etc., made by the firm. The copper will give the finest lines, and is much more lasting than type metal. The thickness of this coating varies according to the work, or as may be desired, from 1666 to 1666 of an

There are five kinds of metal used by type founders generally, according to the particular work in hand. These all consist of different proportions of lead, copper, tin, and antimony. Though many other combinations have been recommended, and used to some extent, these are the only metals generally and successfully employed. The quadrats, which correspond with the white spaces in the printed page, and on which the least wear comes, are made of the cheapest metal; the smallest types, on the other hand, re quire the hardest, toughest, and dearest metals, while the medium-faced types, such as would be used in ordinary books, have a grade of their own, as have also the ornamental job types and the script. Messrs. Farmer, Little & Co. have always paid particular attention to this department of their business, and can point with satisfaction to the long continued use their fonts have withstood.

The want of accuracy in the justification of type would be a fault for which all other good qualities combined could not atone. To secure this, however, only the best of ma chine work must be employed in the fitting of the moulds and the finishing of the matrices, as well as in the dressing and finishing of the type; and in this branch of the busi ness the complete appliances and experienced workmen, the firm have, afford the best of evidence that, by properly ap preciating its importance, they have won the right to claim special excellence in this direction.

The number of "new faces" which any type foundry will get out in a given time depends largely on the state of general business. The firm of Farmer, Little & Co. have always been fully up with the times in this kind of enter prise, and some of their styles of type, both plain and orna mental, as well as their very elaborate combination borders, are to be found in almost every considerable printing office in the land. It is as difficult for a really good printer to see a nice new face of type without buying a font of it as it is for a fashionable lady to do without the latest style of bon net. But in the variety this house can present of types they have originated in their long business career, they have an advantage which only an old foundry can offer.

The house was established in 1810, and since that time they have been constantly accumulating dies and matrices, which always constitute the most valuable portion of the stock of a type foundry. Of the present members of the house, it can be said that they are all active workers and practical men in their trade, the senior of the firm having been about fifty years continuously connected with the business.

Signaling Instruction.

The spring signaling instruction has commenced at Fort Preble, an hour's drill each day For this army system of signaling is claimed superior simplicity over all others, its advocates claim preference for it over the Morse alphabet, and certainly its messages are more easily transmitted by ordinary appliances. No sailor ignorant of a code should be allowed to go to sea in any capacity of command. Magnetic telegraphs and Edison telephones are well enough in their place, but a ship on a lee shore needs its officers and the coast guard to be well instructed in Myer's Code. It should be taught in all our schools. We give the alphabet below for the benefit of the curious. The second columns are the equivalents for which the corresponding letters may serve as contractions. With four of any two kinds of things, fixed signaling can be done. Calling one's right side one, and his left side two, he can transmit any message by waving a handkerchief according to the following table.


Letters.	Word Equivalent.	Signal Number.	Letters.	Word Equivalent.	Signal Number,
ABCDEFGHIJKL MNO	after before can did of the for the ground have if the o'clock	22 2112 121 223 12 223 12 2211 122 1 1122 2111 2211 1221 1231	P Q R S T UV W X Y Z Z & ing tion	put quiet ure station the you very wood next why	1212 1211 211 212 2 112 112 1122 1111 2222 1111 2212 1111

If we have four apples and four oranges, and we designate the apples ones, and the oranges twos, with them then we can spell out anything Thus to spell the word system we would from our right to left (so that they may come in regular order for the reader) first place an orange, then an apple, then an orange (= 212 = 8); after withdrawing the 8 place an apple, an apple, and an apple (= 111 = Y); next repeat the S (an orange, an apple, an orange), next place an orange (= 2 = T), next an apple and orange (= 12 = E), and last an apple. an orange, an orange, an apple (= 1221 = M).

With a small flag a sweep to the left, two to the right, and one to the left would spell be. A great many contractions

THE ANDRE-BROUGHAM ELECTRIC LAMP.

In the annexed engraving is a representation of an electric light invented by Professor André, who, with the assistance of the Hon. R. T. D. Brougham, has devised a lamp which is said to be very efficient. We take the following descriptions above the cap. Et., no atmospheric as the liquid in A is tion from the Engineer:



THE ANDRE-BROUGHAM ELECTRIC LAMP.

The value of the improvement will at once be seen when tion, inasmuch as the carbons in ordinary lamps are of a tion of the washer, which is a large cylindrical arrangement

larger diameter, those used in the André-Brougham lamp being only 2 mm. diameter.

The improvement consists in surrounding the lamp, or a portion of it, with a separate vessel of glass containing water or some other suitable liquid. In the accompanying diagram, B B B is the glass globe of the lamp proper, A A the surrounding vessel containing the liquid. The shape of these ves-sels is immaterial. It may, perhaps, conduce to simplicity if the lamp is first described. Two concentric tubes (G G, I I I) are separated by a nonconductor, such as plaster of Paris. These tubes are connected to the two terminals of the battery by the binding screws, K M. The outer tube, G G, is in electrical contact with the pyramid shaped piece of metal, W. The inner tube, I, contains the carbon rod, which rests upon the metallic wedge and falls down by its own weight, and

that of a small weight placed on the top of the carbon, but within the tube. No doubt the with a wheel inside, which pulls the moss hither light is due partially to incandescence of the carbon, and and dashes it through a vat of boiling water and soap, until Barnhurst, Erie, Pa. partially to the formation of an arc. The cap, N, on the lop of the tube, G G, through which the inner tube passes, is of vulcanite or other non-conducting material. Round the top of the lamp globe, B B B, is a metal cylinder to be screwed into the corresponding cylindrical E1 E1. The ring, E E, has a sharp edge at the top, while E1 E1 has a corresponding recess. Between the two is an India-rubber washer, F F, so that on screwing E E the India rubber is jammed into the recess in E E, and a good water-tight choicest horsehair. The other grades are consumed mostly joint made. The lamp is fitted with a cap, D D, to which, in Louisiana. Seven years are required for the growth of a by means of binding screws, C C, and clamps, the vessel, A, crop of moss after a tree has been stripped.

is fixed. This vessel is partially filled with water or other liquid, so that when in its proper position the liquid rises above the cap, E1, thus rendering the permeation of air into above the cap, E1, no atmospheric air can enter the lamp globe, B, a tight joint is obtained, and at the same time the more or less diffused.

Late Development of Sugar in Sorghum.


Dr. Collier, chemist of the Agricultural Department, explains the frequent failure of sorghum to yield a profitable quantity of crystallizable sugar by the results obtained by his experiment last year. His Chinese sorghum, for example, attained its growth, and to all appearance was ready for the harvest on the 6th of August; but an experiment on that date resulted in getting only one and eighty-five hundredths per cent of crystallizable sugar, with about five and fifty-five hundredths of glucose or uncrystallizable sugar, while three weeks later the percentage of crystallizable sugar had reached twelve and fifteen hundredths per cent, and the uncrystallizable matter was only three and forty hundredths per cent. This species of sorghum reached its maximum for profitable production on the 14th of October, on which date the percentage of crystallizable sugar was fifteen and five hundredths per cent of the weight of juice expressed.

Experiments with the early amber, the variety best suited to this latitude, began on the 18th of July, giving a result of four and forty-three hundredths per cent of crystallizable sugar, with three and seventy-seven hundredths of glucose. The percentage of crystallizable sugar rapidly increased until the middle of August, when it exceeded fourteen per cent. There was very gradual increase until the 29th of October, when it reached seventeen per cent of the juice expressed, the uncrystallizable sugar on that date being only one and ten hundredths per cent.

About a week previous to this date there was a severe frost, and cold weather continued for several days. During the time stalks were cut and experiments were continued, showing that the frost had no bad effect upon the crop. When a thaw came, however, the effect was immediately apparent in the rapid decrease of valuable matter and increase of worthless matter in the juice; and this effect was noticed in all varieties of sorghum. The inference, as drawn and stated by Dr. Collier, is as follows: "Let your crop stand as long as you can; but if a frost catches you before it is gathered, hurry up and get it squeezed before a thaw comes.

The Moss Industry in Louisiana.

The New Orleans Times says that the moss industry of that region has quite recovered its former flourishing condition. The moss is mostly gathered by negroes. Cypress moss is preferred, as it is the longest and most tenacious of all the varieties. After the moss is gathered it is placed on a sunny spot, and left a month to the action of wind and weather. At the end of that time the grayish bark peals off, leaving the hair almost clean. Some of the moss requires no manipulation, while other assortments are, in weight, more than half dirt. After being thus dried the we state that it reduces the carbon consumption to about material is sold to the plantation storekeeper or to the cross-0.125 in per hour, while a similar carbon burnt in a lamp roads groceryman, and the gatherer receives from one to open to the atmosphere burns about 6 in. per hour, the cost two cents a pound for it, according to its quality. The different places on the driven, and thus vary the speed, in carbons being thus reduced to 1-48th of what it would be stuff is baled and sent to New Orleans for manufacture. in an ordinary lamp. This is, probably, a maximum reduc- After the moss reaches the factory it is subjected to the ac-




BARNHURST'S SPEED REGULATOR.

the stuff is cleaned. Then it is hung out upon the racks to dry. This done, it is put into the duster, a fan mill, which entirely removes all the dust that may have survived the washing process. The moss comes into the factory yellow in color and goes out inky black. The article is then made up into bales, according to quality, and lettered with single, double, treble, and quadruple X's. The highest grade, XXXX, can hardly be distinguished from the finest and

NOVEL SIGHT FOR FIREARMS

The annexed engraving shows a new for firearms recently patented by Mr. O. D. Warfield, of Chicopee Falls, Mass. The invention consists in arranging its tube or cover of the sight so that it may be turned around on its base in such a manner that while in one position the heat from the lamp is carried off or dispersed, and the light sight or bead is seen by looking through the tubes the same as in an ordinary covered sight, and when turned in the other position the point of the sight is exposed uncovered.

Fig. 1 shows the sight attached to the barrel of a gun and turned so as to show the point of the sight, A. The shape of the sight as seen in this position is shown in the small detail view above the end of the barrel. The appearance of the sight when turned into the other position is shown in



IMPROVED SIGHT FOR FIREARMS.

The tube which incloses the sight is held in either of its positions by concaves formed in the base piece at right angles to each other. The spring under the base draws the tube down into the concave and holds it accurately in posi-

NOVEL SPEED REGULATOR.

The engraving shows a new combination of mechanism for regulating the speed of sewing machines and other light machinery. It consists of two conical drums, A B, jour naled in a rectangular frame, with their larger ends oppositely arranged and their contiguous faces parallel.

A friction wheel, C, is placed between the two conical drums and journaled in a support attached to the end of a rod passing through the spring barrel, D. The shafts of the conical drums, A B, each carry a pulley, one to be connected by a belt with the motor, the other to be connected with the machine to be driven.

A cord is attached to the support of the wheel, C, for drawing it along between the drums, A B, so as to communicate motion from different portions of driving drum to making the speed of the driven drum either faster or slower

The bearing surface wheel, C, is made of rubber or simi-

lar material, and as it becomes com-pressed or worn, the difference in diameter is compensated for by moving the drum, A, longitudinally on Ita

The base of the cone, A, is cut away as shown, thus permitting the traveling friction, C, to stop the machine by disengagement.

This device is capable of controlling any speed within reasonable limits from 1 to 1,000 or 1,200 revolutions per minute. It can be used to stop and start, which it does instantly.

With this regulator when the speed is reduced the power is correspondingly increased, so that when a slow motion is transmitted it is with a great deal of force. This feature will prove particularly useful in that class of motors that obtain their power from the multiplication of small impulses, as in the case of small electrical or water motors

Further information concerning this

Water System of New York.

During the past four years the Department of Public Works has added to the Croton Water Service 70 miles of distributing pipes, making the present extent of pipes 480 miles. The Croton aqueduct supplies 95,000,000 gallons a day. The elevated railroads consume over half a million gallons daily.

NEW PETROLEUM FIELDS.—It is reported that petroleum has been discovered in large quantities in the vicinity of Lake Ainsley, Cape Breton; also in Alabama.

AGRICULTURAL INVENTIONS.

Mr. William B. Garoutte, of Republic, Mo., has invented a novel cotton and seed planting machine. This improvement relates to machines for forming a mould or ridge, dropping the seed along the ridge, and covering the seed.

Mr. William L. Dietz, of Schoharie, N. Y., has patented an improvement in scrapers and cultivators for broom corn, cotton, and other plants planted in rows and drills, so constructed that they may be readily guided to operate upon crooked rows and may be conveniently turned at the ends of the rows.

IMPROVED PIPE TONGS.

The annexed engraving represents an improved pipe tongs manufactured by Messrs. Noble, Hall & Co., of Erie, Pa. The handles are pivoted on the usual rivet, which extends also through cheek-pieces attached to one of the handles. This construction gives a firm bearing to the pivot, and avoids tongs. The cheek-piece has a rectangular recess formed in item. it for receiving a cube of hardened and tempered cast steel, '

This cube is always held with one of its corners toward the center of the tube, whether the pipe being turned or held is large or small. It will be noticed that the steel cube has twelve available corners, so that as one becomes dulled by use another may be put into position for work. The cube or bit is held in its socket by a tapering pin extending across the mouth of the socket.

After the cube becomes worn on all of the corners it may be sharpened by grinding and replaced with enough backing to compensate for the metal ground away; and after it is

drawhead. The invention consists of a drawworn so that it is incapable of further use it may be replaced to one per cent per annum upon the cost of the apparatus. head, with internal cavity having upwardly inclined rear

by a new one at a slight cost.

One of the jaws is made adjustable by a thumbscrew to adapt the tongs to different sizes of pipe. This firm make also tongs of the same general character without the adjustable jaw. The manufacturers claim that for strength, durability, simplicity, and cheapness these tongs have no equal in the market.

ICE-MAKING APPARATUS.

The accompanying engraving represents an ice-making apparatus designed and constructed by the Boyle Ice Machine Company, of Chicago, Ill., who are the patentees and manufacturers of ice machines and refrigerating apparatus.

The engraving shows a one-ton ice machine. On the left is seen a steam boiler and a combined engine and ammonia pump: in the center a pump for water supply for gas condenser, and on the right a freezing tank. The ammonia

liquefied in the condenser, and is expanded in a freezing tank seen at the right in which the cold is produced.

The freezing tank where the ice is produced is provided with coilsof iron pipe, in these the gas evaporates, and they are placed at regular spaces apart, the spaces being regulated by the thickness of the ice required. Between the coils are placed moulds or cans containing the water to be frozen, and the space about both moulds and coils is filled with strong brine.

The operation of the machine as follows: put in motion, a valve leading from the condenser to the evaporator coils

is opened and the liquid gas flows into the evaporator coils. from parties using these machines, may be obtained on ap- posite pile for submarine foundations and other purposes There, meeting with the heat in the salt water to be cooled down, it expands very rapidly, taking up the heat which is in the brine, which, in turn, extracts the heat from the water in the moulds. The expanded gas is aspirated by the pump and forced over into the condenser, where the heat is taken from it by a stream of water continually flowing over it, and again to be expanded in the evaporator coils.

This process is continued until such time as the water may be frozen, when the mould is lifted from its place in the freezing tank and immersed in warmer water, which loosens the ice from the mould, when it is readily removed; and the mould, being refilled with water, is again returned to the

freezing tank. The ammonia pump (patented by the Boyle Ice Machine Company) is single acting, and works with regularity and smoothness; no water is required in order to keep its piston rod cool, and the pressure on the stuffing box never exceeds fifteen pounds to the square inch, avoiding all trouble in keeping the stuffing box tight and leakage of ammonia.

In making a calculation of the entire expense of operatmade for the oil used in lubricating the engine, and for the expense of ammonia. An allowance of fifty cents per day for the smaller sized machines, and of one dollar per day the twisting motion which is usually so destructive to the upon the larger sized machines, would be ample for this

THE ACME CUBE PIPE TONGS.

Calculations by this company for the production of ice and for all expenses connected with the operating of a complete ice factory are upon the conditions incident to the hottest weather in the South; and in a more temperate climate, with cool condensing water, the expense for fuel would be decreased considerably, as well as the supply of water necessary for condensing the ammonia.

Machines with which ammonia is used as the necessary refrigerant have proved to be among the best and the most efficient machines for the purpose; they are not liable to explosion or causing fire.

The machines referred to are of a simple character, have few parts, and are easily managed by any mechanic of ordinary intelligence. Their efficiency and reliability, their durability and inexpensiveness of operation, the manufacturers state, are beyond all question, as certified to by several

pump is used for compressing the ammonia gas which is of construction and mode of operation, and testimonials signals. The inventor states that the apparatus may be

tempered, heat it lightly, not enough to draw the temper, and it may be straightened by blows from a hammer, if the character of the tool will admit of such treatment, or, as in case of a tap, it may be straightened by a heavy mallet on a hard wood block. Although the steel when cold would break like glass with this treatment, when slightly warmed it will yield to moderately heavy blows uninjured.

ENGINEERING INVENTIONS.

Mr. Harry M. Sciple, of Selin's Grove, Pa., has patented a portable steam engine combining the features of lightness, durability, and cheapness. The invention consists in a vertical steam engine having the base, column, pedestal, cylinder, and steam chest cast in one piece and fitted with the ing a machine of any size, there should be an allowance cylinder head and crossbead guides, that are cast in one piece, whereby the required strength is obtained, and there is but a single joint to be fitted.

An improved signaling apparatus for railroads has been patented by Messrs. Richard B. Ireland, of Trenton, and William H. McDonald, of Newark, N. J. The object of It is claimed that repairs would not ordinarily amount this invention is to provide for operating a signal located at

one point on a railroad from different places -say from two separate switches-in such manner that the signal shall be exhibited when either switch is open and until both are closed, or so long as the main line is not clear.

Mr. Hiram N. Wickes, of Grand Gorge, N. Y., has invented an improved car coupling that couples automatically without requiring any one to step in between the cars, the link being held in horizontal position, so as to secure its entrance into the opposite drawhead. The invention consists of a draw-

portion and central guide rib, along which a centrally grooved roller is carried by the link.

Mr. Jean L. Nevers, of Pass Christian, Miss., has patented a water and wind mill, which the inventor calls a "wing motor." It is simple, automatic in the adjustment of its sails, and capable of utilizing a large percentage of the power of the wind and current of water.

Mr. Richard B. Ireland, of Trenton, N. J., has patented improvements which relate to signaling apparatus used in the "block" system of signals for the movement of trains, in which system the road is divided into sections or blocks. with a signal station between each block, and no train allowed to pass a station without a signal from the operator. Heretofore there has been great liability of the engineer mistaking the signals; and the object of this invention is to prevent such mistakes, which is accomplished by giving to the extensive manufacturers and professional experts.

The male is definite form and position, either of which will further information and circulars containing full details indicate, in addition to the color, the exact character of the


> nection with two or more switches with one wire and one slide.

Mr. Stephen B. Segur, of Gold Hill., Nev., has patented an improved hoisting device, the object of which is to prevent hoisting cages in mines or elevators of any description from being raised so high as to endanger the lives of miners or others working in connection with hoisting apparatus or being carried up by elevators. The invention consists in a safety hook of novel construction and in means for detaching the same from the elevator car. Mr. Henry

Case, of Brooklyn, N. Y., has patented a com-

plication to the Boyle Ice Machine Company, No. 10 North that shall withstand decay or the attack of worms and insects better than a wooden or iron pile.

Mr. Albert Bonzon, of Santiago, Cuba, has patented a new attachment for the second-hand shaft of clock or watch works which will cause the second-hand to beat seconds, and which is so arranged that these beatings of the second-hand can be interrupted or started at any desired moment.



BOYLE ICE MACHINE.

Jefferson street, Chicago, Ill.

Straightening Hardened Steel.

In hardening and tempering tools they sometimes spring, to the great annoyance of the workmen, and not seldom the under the pressure of the pump is reliquefied, and returns tool is reheated and rehardened. In most cases this may be avoided. To straighten a piece of steel already heated and

CAPTURE OF A LARGE FINBACK WHALE,

We publish herewith a picture of the large whale now on exhibition in this city. It was captured on March 18, two incetown, for \$600, and towed to this place by the tug Charles Lawrence, requiring four days and nights for the passage. Arrived, the monster was floated on a drydock, and has since been viewed by thousands of people.

The back of the whale is hard and shines like ebony; the belly is white like ivory, and where the two meet at the sides it takes a slaty gray tint.

A series of wrinkles, as if scored by fire, run backward and

The skin beneath the eye is also wrinkled in massive The flesh, where exposed by scars or wounds, is red and firm like beef.

The head forms one quarter of its length. The body is 65 feet long, 15 feet in greatest diameter, and weighs about 70 tons. The eyes are very small, set a few inches back of the jaw socket. The spout hole crowns the summit of the head, 17 feet back from the nose, surrounded by a three-cornered ridge of bone and India rubber-like flesh. The tail is flexible, forked like a broad-arrow head, set sideways to the body, enabling the whale to dive quickly. From behind the eyes project two broad soft fins, and a little one springs from the sharp ridge near the tail, giving it the name fin-

The upper jaw is long, narrow, and concave, the edges smooth and rounded. place of teeth there extends downward a whalebone formation like the teeth of a huge comb set obliquely, growing in size from a few inches at the nose to three feet or more at the jaw, the whole terminating in a stiff broom-like fringe of bristly hairs.

The lower jaw is entirely smooth, much wider than the upper, the latter fitting down into it like a cover, the bone fringe filling up the groove and serving as a strainer through which the water is expelled after a school of small fry is ingulfed in the maw. The tongue covers the entire inner surface of the lower jaw.

The orifice of the ear is hardly perceptible, yet the hearing is so acute that a ship crossing its track a half mile distant will cause it to dive instantly.

This species of whale is the most dangerous to attack, and the least profitable. It destroys vast numbers of small fish, and is worth only \$500

death by elevating his fins and turning his head toward the setting sun.

The Phylloxera Pest.

To compensate for their discomfort during the past almost unprecedented cold winter, the people of Southern parts of the plants which they attack, were completely benothing had happened.

The Edible Sea Worm.

There is a very curious food product obtained in the Pacific, which is esteemed as highly as are whitebait in Engaccount of it is given by a traveler. These worms are pear. found in some parts of Samoa (Navigator Islands) in the South Pacific Ocean. They come regularly in the months of October and November, during portions of two days in its appearance in the New Hebrides, in Tongo, and in the the moon is in her last quarter. They appear in much Fiji. greater numbers on the second than on the first day of their rising, and are only observed for two or three hours in the early part of each morning of their appearance. At the first upward from beneath the jaws like bilge keels on a vessel. dawn of day they may be felt by the hand swimming on the annual review of recent progress in geographical explora-

eaten undressed, but either dressed or undressed they are esteemed a great delicacy. Such is the desire to eat "palolo" exhibition in this city. It was captured a same and such a same and such as small species of sea worm, a genus of annemiles off five fishermen, armed with a bomb-lance and gun. lids, known scientifically as Palolo viridis. The following large quantities to parts of the island in which none apby all classes that immediately the fishing parties reach the shore, messengers are dispatched in all directions with

Many of the European residents in the Fijis eat the "pale lo," and look on it as quite a periodical relish. It also makes each month, namely, the day before and the day on which Samoan or Navigator Islands identically with its advent in

The Hittites.


One of the most interesting parts of Chief Justice Daly's

tion, before the Geographical Society, March 28, was that touching the important discovery of the seat of empire of the ancient Hittites. Judge Daly said:

The readers of the Bible will remember the frequent mention that is made of the Hittites, a people occupying Canaan, who are described in the biblical narrative as being commercial and military, and in whose country Abraham bought a piece of land for his burial place. The scattered accounts in the Bible simply indicate an ordinary tribe of people, with whom the Israelites had intercourse, but information derived from the researches made in Egypt and Assyria show that the Hittites, whom the Egyptians called the Kheta and the Assyrians the Khatti, were a powerful confederacy occupying the country which was the highway between Babylonia or Assyria and Egypt a people actively engaged in commerce, their principal city being a place to which merchants from all parts congregated, and who were at the same time a warlike people, who for a long period kept the Assyrians in check, and who proved the most formidable antagonists the Egyptians ever encountered. They were not only commercial and warlike, but bad evidently at a remote period made great advances in civilization and in the fine arts and early Greek art, as found in the discoveries of Dr. Schliemann at Mycenæ; and the early art found in Cyprus by our associate, Mr. Di Cesnola, is supposed to have been largely derived from them.

They occupied the whole country of Southern Syria, from the Mediterranean to the desert, dwelling chiefly in the fertile valleys of the Orentes, a river rising to the east of Baalbec and flowing into the Mediterranean, and had two principal cities-

power, called Carchemish. They were finally overthrown by the Assyrians, B. C. 718; and had so completely disappeared that they are scarcely ever referred to manner, but in such countless myriads that the surface of by Greek writers. Great interest was felt to discover the site of their commercial capital, Carchemish, and many conjectures have been made, none of which, however, could be verified. A few years ago Mr. Skene, the pear until the next season, and not one is ever observed British Consul at Aleppo, discovered a huge mound of earth covering a large area on the western shore of the lower Euphrates, near a ford of that river on the route still tradestructive to their grape crop. But from the observations reefs on portions of the coast on which much fresh water is ruined walls and broken towers, while the mound itself was the lamentable conclusion that the phylloxera has not exidentified it with other lost places. Mr. Skene called the Sects deeply interred, but even to those near the surface. M. They are very brittle, and if broken into many pieces, each attention of the late George Smith, the eminent archeologist who brought so much to light from the ruins of Nineveh, to this mound, and Mr. Smith found here the ness the time of their appearance, and look forward to it long-lost capital of the Hittites. The present British Consul, Mr. Henderson, has been during the last two years engaged



CAPTURE OF A LARGE FINBACK WHALE,

for oil and bone. It fights desperately, and if badly wounded surface of the water; and as the day advances their numbers Kadesh, or the Holy City, and a great commercial emdescribes a large circle having a "swath," inside of which increase, so that by the time the sun has risen, thousands porium, which was their capital and the center of their he makes his last stand, and woe to anything that ventures may be observed in a very small space, sporting merrily duin. If left alone there he will die quietly, announcing his ring their short visit to the surface of the ocean. On the second day they appear at the same time and in a similar the ocean is covered with them for a considerable extent.

On each day, after sporting for an hour or two, they disap-France had hoped that it would result in the killing of the during the intervening time. They are found only in certain parts of the islands, generally near the openings of the with regard to this made by M. Lichtenstein, he arrives at found; but this is not always the case. In size they may be perienced the least harm from the temperature of ten to lengths, green, brown, white, and speckled, and in appeareleven degrees below zero. This applies not only to the in-Lichtenstein found a number of other pucerons similarly resistent to cold. These little creatures, attached to the aerial exceedingly fond of them, and calculate with great exactwith great interest. The worms are caught in small basratory they proceeded with their hatching operations as if kets, beautifully made, and when taken on shore are tied up in the exploration of the mound, and has already sent important remains with inscriptions to the Reitieb Mountain to the Reitie in leaves in small bundles, and baked. Great quantities are portant remains with inscriptions to the British Museum.

A few years ago a stone which had formed part of the wall of a house at Hamath had an inscription upon it which excited great curiosity, because it was neither Assyrian nor Egyptian, but something between both languages. It may be remembered that I called attention in one of my former addresses to the discovery of this stone and one or two others containing like characters, which were then called the Hamath inscriptions, with the suggestion that this might probably be the language of the Hittites, which is now proved to be the fact. The inscriptions found by Mr. Henderson in the exploration of Carchemish are not only of the same character, but the same language which Mr. Layard found impressed upon seals discovered by him in the ruins of the record chamber of Sennacherib's palace, and which greatly excited his curiosity, as the writ ing was unlike any ever noticed before. Another inscription was afterward discovered at Aleppo, by Mr. Davis, a missionary; and it also turns out that the famous figures sculptured above the roads from Ephesus to Phocea, and from Smyrna to Sardis, which are mentioned by Herodotus, and were supposed by him to represent the Egyptian King Rameses II., the Sesostris of the Greeks, had inscriptions in the same character as that recently found in Carchemish, showing that these figures also are Hittite monuments. It is supposed that this language was the source of what is known as the Cypriote syllabary, found in Cyprus, and which was probably the language in use among commercial people throughout Asia Minor until it was superseded by the simpler and more practical Phœnician alphabet. This discovery is exceedingly interesting, as the Hittites belong to the same race of people who perfected, by the invention of the alphabet, that greatest of human inventions, a written language. We have now, in this discovery of Mr Smith, the memorials of a lost people, in neighboring proximity to the Phænicians, of whom also we know so littlea people who had an important part in the early progress of ancient civilization, with respect to which an eminent Egyptian scholar expresses his conviction that future discoveries in the course of this exploration will afford convincing proofs that this civilization, which was of the highest antiquity, was of an importance which we can only guess at.

A writer in the London Times has said, in respect to these discoveries, that they have opened up to us an extinct civilization that existed before Rome or Athens was founded, of which nearly every trace and memorial had been lost until these discoveries were made a few years ago; that they have opened a new and earlier page in the history of mankindin that of religion, science, and of the arts-by the discovery of the remains of this library, which Abraham may have consulted in what was the land of his nativity.

Fishes on the Pacific Coast.

At a recent meeting of the California Academy of Sciences, Professor Jordan, of the United States Fish Commission, said that the labors of himself and associates have, as yet, been principally confined to the waters of San Diego, San Pedro, and Santa Barbara. Among the specimens of fish examined were the European shark, of which little has been heard on this coast, but it is taken by thousands in Los Angeles waters for the oil. Mr. Jordan here exhibited a specimen of the true sole, the only one yet found on the Pacific coast. The fish sold in our markets as soles are different kinds of flounders. The one shown was picked up in the Chinatown of Los Angeles. Of the flounders, two new species have been found. One was caught just outside the Golden Gate, and is evidently the young of a species that grows to a large size. The only other specimens of the species known were found in Greenland. Another flounder was of the halibut form. Other new forms were found of the sting ray. It was found off San Diego, and is of the European genus. Another ray, caught off Santa Barbara, belongs to the Chinese genus. This is only another evidence that fishes of the same genera are common to both sides of the Pacific, and, as the speaker facetiously remarked, "form ing another link between California and China." It is almost as easy, said Mr. Jordan, to find new genera as new species on this coast. Several sharks, about three feet long, were found off Santa Barbara, which have the peculiar faculty of inflating themselves with air when caught, until they are two-thirds as broad as they are long. This has only been known before by specimens brought from Van Diemen's Land. To the eleven species of rock cod, seven more have been added. Most of the new species are of a bright red color. Another new species of surf fish or perch was found in the San Francisco market.

A Wasp's Strategy.

Mr. Seth Gree watching a spider's nest, a mud wasp alighted within an inch or two of the nest, on the side opposite the opening Creeping noiselessly around toward the entrance to the nest, the wasp stopped a little short of it, and for a moment remained perfectly quiet. Then reaching out one of his antennæ, he wriggled it before the opening and withdrew it. This overture had the desired effect, for the boss of the nest, as large a spider as one ordinarily sees, came out to see what was wrong and to set it to rights. No sooner had the spider emerged to that point at which he was at the worst disadvantage, than the wasp, with a quick movement, thrust his sting into the body of his foe, killing him easily and almost instantly. The experiment was repeated on the part of the wasp, and when there was no response from the

At all events, he proceeded to enter the nest and slaughter the young spiders, which were afterward lugged off one at a time.

Decision on an Injector Patent.

March 10, 1880, Judge Wheeler, of the United States Circuit Court for the Southern District of New York, rendered a decision in a case in which Nathan & Dreyfus, proprietors of James Gresham's patent (No. 57,057) for "a supplement ary jet-lifting apparatus for injectors," sued the New York Elevated Railroad and Wm. L. Chase for an infringement of that patent. The injector which they claimed to be an infringement was that known as the "Little Giant Injector," made and sold by the Rue Manufacturing Company, of Philadelphia. This suit was brought in 1876. The court sustained the validity of the Gresham patent, found that the Little Giant" injectors complained of were an infringement of that patent, and granted an injunction and referred the subject for an accounting of the damages. Nathan & Dreyfus now give notice that lifting injectors of this pattern are infringements of their patent, and announce that they will settle for such infringements on reasonable terms with all users who respond promptly, and without litigation.

RECENT DECISIONS RELATING TO PATENTS, ETC. U. S. Circuit Court -Eastern District of Wisconsin.

GOTTFRIED et al. 28. THE PHILLIP BEST BREWING COMPANY et al.-IMPROVEMENT IN PITCHING BARRELS,

PATENTED MAY 3, 1864.

It is not often that so many interesting questions are inrolved and decided in a single case as in the following.]

JOINT INVENTION.

1. To overthrow the presumption of joint invention raised by the filing of a joint application upon a joint oath the evidence must be clear and unequivocal.

2. Joint invention is the result of mutual contributions of the parties; and if one suggests an idea in a general way and the other falls in with it, and by his aid develops and gives definite practical embodiment to it, the two may be considered joint inventors.

A LICENSEE FOR A PARTICULAR MACHINE CANNOT SUBSTI TUTE THEREFOR A NEW MACHINE.

3. The defendants claimed to be licensees under the patent by reason of a purchase from one of the inventors of a machine used by him; but it appearing that said machine was subsequently torn down and afterward rebuilt of substantially a new construction, it was held that the identity of the original machine was thereby destroyed, and the evidence did not disclose such facts as to show that the patentees had expressly or impliedly given to the defendants license or permission to use such machine.

SIMPLICITY AND ECONOMY OF CONSTRUCTION ARE SUPPLICIENT TO SUPPORT A PATENT.

4. The patent law protects simplicity and economy of construction as against prior complex and expensive combinations; and although the general and abstract effect may be analogous, if the two mechanisms produce their respec tive results by essentially different processes, the one being more simple and capable of being operated with greater economy than the other, it is not anticipated thereby.

REQUISITES OF SUCCESSFUL PRIORITY.

5. A prior patent or publication, to anticipate a patent, must appear in the description to embody substantially the same organized mechanism, operating substantially in the same manner as that described in the patent claimed to have been anticipated.

THE NEW ARRANGEMENT OF OLD DEVICES MAY BE PATENTED.

6. Old instruments placed in new and different organizations, producing in such situation different results, or the some results by a new and different mode of operation, do no prevent such newly-organized mechanism from being

TO OVERTHROW A PATENT THE ALLEGED PRIOR DEVICE MUST BE PERFECTED AND PRACTICAL.

7 To justify the court in overthrowing a patent granted for what appears to be a new and useful invention or improvement, on the ground that the device has been anticipated by another and earlier invention, the court should be well satisfied by clear and credible testimony that the alleged earlier invention actually existed; that it was a perfected device capable of practical use; that it was embodied in distinet form and carried into operation as a complete thing, and was not of such character as to entitle it only to be regarded as an unperfected or abandoned experiment.

8. A rude machine constructed for the purpose of e ment, and subsequently broken up, deserted, and abandoned, cannot be regarded as such a perfected invention as will defeat a patent

NEW COMBINATIONS OF OLD PARTS ARE PATENTABLE.

9. Although the various elements or parts of the patented mechanism, when separately considered, may be regarded as old, they are to be viewed in the light in which they have been combined in connection with the new and useful results which the combination accomplishes.

THE CLAIMS ARE TO BE EXPLAINED BY THE SPECIFICA-TIONS.

10 A claim to "the application of heated air under blast to the interior of casks by means substantially as described inside he became satisfied, probably, that he held the fort. means and mode of operation described in the specification. out much trouble or expense.

11. Claims containing words referring back to the specification must be construed in the light of the explanations contained in the specification.

12. It is sufficient for the purpose of distinguishing old parts from new in the specification and claims of a patent to describe each and all of the parts, and claim the mechanism as a whole, so constructed and operated as to produce the result set forth.

MECHANICAL INVENTIONS.

An improvement in axle boxes which will prevent the oil or grease from flowing out of the box, and will prevent sand from entering it, has been patented by Mr. Irving F. Bur. dick, of North Stonington, Conn.

An improved hay press has recently been patented by Mr. Beverly Tompkins, of St. Albans, West Virginia. This invention is an improvement on the hay press, for which application for patent was allowed to the same inventor June 13. 1879. It consists of a novel arrangement of levers for operating the traverser and follower of the press.

A harrow that can be readily adjusted for light or heavy work, be made to accommodate itself to uneven ground, and be moved anywhere without being taken to pieces, has been patented by Mr. William W. Cook, of Kansas Centre, Kan.

Diamond Making.

The London Photographic News sums up briefly the result of diamond making as follows: A hydrocarbon gassuch as marsh gas, for instance, which is composed of hydrogen and carbon-is put into a stout iron tube of considerable thickness. A nitrogen compound-presumably cyanogen-is also introduced, with a view to the nitrogen combining with the hydrogen, and leaving the carbon free, for a diamond, as our readers are aware, consists of pure crystallized carbon. The gas in the iron tube is subjected to enormous pressure to liquefy it, the tube being heated to aid in this work. The liquefaction of oxygen by Pictet, of Geneva, was effected by pressure in this way. The pure carbon passes under pressure from a gaseous into a liquid form, and finally crystallizes, in which condition it is found upon the iron tube being opened. The diamonds are, how-ever, of the most minute character, and Mr. Hannay, of Glasgow, who has thus succeeded in making them, frankly owns that the game is not worth the candle.

When Trout May be Caught.

The Sea World, a sprightly little paper devoted to the fish interests, published at New Haven, Conn., gives the following information regarding the laws of different States in respect to trout fishing:

California, April 1 to November 1. Connecticut, April 1 to July 1. Iowa, February 1 to November 1. Maine, May 1 to October 1. Massachusetts, April 1 to October 1. Michigan, May 1 to September 1. Minnesota, April 1 to October 1. New Hampshire, May 1 to October 1. New Jersey, March 1 to October 1. New York, April 1 to September 1. North Carolina, January 1 to October 15. Pennsylvania, April 1 to August 1. Province of Ontario, Canada, May 1 to September 15. Province of Quebec, Canada, February 1 to October 1. Rhode Island, March 1 to August 15. Vermont, May 1 to September 1. Virginia, April 1 to September 15. Wisconsin, April 15 to September 15.

Total Solar Eclipses.

According to Professor Davidson, of San Francisco, the most important total solar eclipses during the present century will be as follows:

	Date.					
Year. Month.		Most favorable locality for observation.	Duration of Totality.			
1982 1883	May 17 May 6.	Arabia Marquesas Islands	2 min. 00 sec. 5 min. 15 sec.			
1886 1887	Sept. 9 Aug 29	West Africa	2 min. 00 sec 6 min. 21 sec 3 min. 40 sec			
1889 1893	Dec. 22 April 16	Angola, West Africa	8 min: 34 sec.			

The next total solar eclipse visible near the United States will be that of May 28, 1900, at 8 o'clock in the afternoon; wherein the central line of totality passes through Mexico, the Azores, and Egypt.

Water Cresses.

At a recent meeting of the Royal Horticultural Society of England, Mr. Shirley Hibberd exhibited a lot of home-grown water cresses, which created considerable interest among the members. The display consisted of a series of pans, fifteen inches in diameter, each filled with a luxurious growth of tender cresses. The exhibitor claims that the pan culture of water cresses may be profitably pursued with the aid of a frame or cool plant house during the severest winter weather. The cresses shown were produced in the course of six weeks, and had been daily gathered for the table, thus showing how rapidly and prolific they grow. According to the testimony of Mr. Hibberd any one may supply his table with and for the purposes set forth," embraces the particular this wholesome and delicious salad any time of year with-

Correspondence.

The La Plata Mining and Smelting Company. To the Editor of the Scientific American:

One of the most complete ore sampling and smelting companies in the carbonate region is the La Plata Mining and Smelting Company. Like most of the enterprises of this new and wonderful region, it developed into its present large proportions, from a small and unimportant beginning. About the middle of June, 1879, the present corporation was established with a capital stock of \$2,000,000, in 200,000 shares, per value \$10 each, although prior to the above date the firm of Berdell, Witherel & Co. had carried on the business of smelting ores with marked success. In order, however, to meet the increasing demands of a company where new discoveries of large mineral deposits followed so rapidly after one another, the La Plata company was organized, and with a cash capital of \$100,000 business commenced on a scale before unthought of. The working capacity of the mills was largely increased by a judicious expenditure of nearly \$50,000, and under the able management of C. B. Rustin, Nathaniel Witherel, and Theodore Ber dell, seven dividends, amounting to \$115,000, have been paid to stockholders.

The process of sampling and smelting ores in vogue at this establishment is thoroughly approved and entirely satisfactory in its workings and results. The different ores coming from the various mines are first deposited in bins holding about 30 tons respectively. Each mine has its es pecial bin, and the ores are kept entirely distinct and separate. For sampling purposes about one-tenth of a particular ore is taken, and is cut down to a sackful containing from 60 to 100 lb. This is run through a Blake crusher, which breaks up the larger pieces, and renders the whole sufficiently fine for the furnaces. One tenth of the residuum is then subjected to the Cornish rollers, which crushes it very much finer. The Aldin crusher then pulverizes it, and it is afterwards manipulated on the bucking board until it is of the consistency of a fine powder, capable of going through an "80 sieve." One-fourth of this powder is sent to the assay room, where the "assay ton" is taken, reckoned in milligrammes, and a valuation made of the entire amount of ore; one-fourth of the powder is given to the miner; the other two-fourths are bottled, labeled, and sealed for reference. Should the assay of the miner and the smelter disagree, the valuation is either determined by the other sample, or, to use a Yankee expression, they "split the difference." For purposes of smelting, the ores are taken from their bins and deposited in large "mixture piles" containing 300 tons each. These mixtures of ores are taken to the scales and weighed. It is determined in the laboratory what quantity of lime and iron shall be added for a flux to the various grades of ore. Having determined the requisite amount of fluxes necessary for a single blast, the compound mass is taken to the furnace room, where four large blast furnaces, with an aggregate daily capacity of 110 tons, are kept in constant blast. At the end of 24 hours the ore is run off in the shape of bullion pigs weighing 95 lb. The slag is run out from a different aperture, and is thrown on the "dump" as useless material. These pigs of bullion are carefully assayed to determine their exact value, and are then shipped to the Newark, N. J., refining works, where the silver is separated from the lead and the lead then refined. The product of the La Plata Mining and Smelting Company, from its organization, June 14, 1879, up to March 1, 1880, has been 1,155,661 oz. silver, and 7,083,769 lb. of lead, for which 36,917,396 lb. of ore were required. The aggregate yearly production of silver alone will considerably exceed a million and a half of dollars. The most imposing object that strikes upon the vision of the stranger coming into Leadville for the first time is the works of the La Plata Company. They cover 25 acres of ground, with a frontage of 550 feet. About the buildings of the works themselves, which are large and substantial, there clusters a small village of dwelling houses for the accommodation of the 100 employes of the company. The company owns and operates mines located in California Gulch, which yield an immense quantity of low grade mineral, so necessary for successful smelting. This together with its extensive patronage by such mines as the Chrysolite, Iron, Little Chief. and Climax mines, keeps the furnaces in constant opera

To indicate the high position this company occupies in the business community it will be sufficient to name the officers of the corporation, as follows: C. B. Rustin, president; N. Witherel and Harry Allen, vice presidents; Theodore Berdell, treasurer and agent in Colorado; and Fredrick Sheppard, secretary. Mr. C. B. Rustin, aided by his energetic and experienced superintendent, Mr. M. E. Smith, directs and oversees with vigilance and ability every depart ment of the complicated business. Leadville, March 25, 1880.

The Voice of the White Perch.

A correspondent writing from Parkersburg, West Virginia, says, with reference to the note on voice in fishes, in the SCIENTIFIC AMERICAN, February 14, 1880, that the white perch of the Ohio river will often follow a hoat for a heard the fish make the same sound when imprisoned in a liquid and the gas ceased to be visible. But if, then, we junctions, collisions seldom occur and seldom result in loss fish box to keep it alive.

-Grape Sugar-Corn Sirup.

The wonderful impetus that has recently been given to awakened an interest in the early history of the industry and its introduction into this country. Mr. Lyman Bradley, one of the original inventors of the process of producing those articles from corn, writes to a Buffalo paper in reference to it as follows:

"Grape sugar was long before made from potatoes in Europe, and came here at a cost of from 8 to 12 cents a pound, in gold, when gold was at a premium of 40 per cent. But sugar from corn was not then known. In the year 1863, F W. Gessling and Lyman Bradley, in the city of Buffalo, improvised a small factory for experimenting, to see if grape sugar, glucose, and sirup could be made from corn. Although sneered at and ridiculed by their friends as insane, they, by their persistence, succeeded, and in 1864 they obtained a patent, which may be seen on the records at Washington. In July, 1864, a committee of sugar manufacturers and chemists from New York visited Buffalo as experts, to report as to the value of the invention. They remained several days, testing the process. They returned, and others from New York took their places for the same purpose. The patentees employed a well known citizen of Buffalo to negotiate a sale of the patent, and on the 10th of November, 1864, a sale was made for \$600,000, a stock com pany formed with a capital of \$1,000,000, and stock issued, some of which may be seen in Buffalo bearing that date."

From the supposed folly of Gessling & Bradley has grown up a business in which nearly \$30,000,000 are invested. Grape sugar has been made from potatoes and imported here to be used in making wine, costing near 12 cents per pound, it being better than cane sugar for that purpose, it having no taste but sweet if properly made. No grape sugar, no glucose, no sirup, was ever made on this continent or elsewhere from corn until after the invention so made by Gessling & Bradley, and if any credit is due to any one for inventing a process which is proving to be so valuable, the meed of praise belongs to them. For now, instead of importing an inferior article of grape sugar, made from potatoes, at a cost of 8 to 12 cents a pound, large quantities of grape sugar made from corn are exported at 3 cents a

pound. - The Western Manufacturer.

The Compression of Gaseous Mixtures.

In a recent paper on this subject to the Paris Academy of Science, M. Cailletet begins with the remark, that when a mixture of air and carbonic acid was inclosed in the apparatus which had served him for liquefaction of gases, he found, as Andrews and several other savants had already observed, that the liquefaction of carbonic acid was retarded, often very greatly. It is even possible to compress at zero, beyond 400 atmospheres, a mixture of 1 volume of air and 1 volume of carbonic acid, without getting a change of aspect in the

On compressing in the apparatus, he proceeds, 5 volumes carbonic acid and 1 volume air, the carbonic acid is easily liquefied. If the pressure be then carried to 150 or 200 atmospheres, the meniscus of liquefied acid, which, up to that point, was concave and perfectly distinct, becomes plane, loses its distinctness, then is progressively effaced; at length the liquid entirely disappears. The tube then seems filled with a homogeneous matter, which thenceforward resists all pressure as a liquid would.

If, now, the pressure be slowly diminished, one perceives that at a pressure constant for determinate temperatures the liquid suddenly reappears; a thick mist is produced, developing and vanishing in an instant, and marking the level of the liquid which reappears. The following numbers indicate the progress of the phenomenon.

Operating with a mixture formed approximately of 5 volimes carbonic acid and 1 volume air, the liquid carbonic acid reappears at:

rbonic acid compressed above 350 atm. no longer liquefies at 21

This phenomenon of disappearance of the liquid cannot be explained by the heat disengaged by compression; for, in this experiment the tube is immersed in water, which keeps the temperature constant, and the compression is effected slowly enough for the cooling to be always complete.

The whole phenomenon, indeed, is as if, at a certain degree of compression, the carbonic acid is diffused in the gas

augment several hundred atmospheres the pressure of the of life.

system, the surface of separation of the gas and the liquid should become visible again, the index of refraction of the the manufacture of glucose and grape sugar from corn, has gas continuing to increase, by hypothesis, more rapidly than the index of the liquid. But experiment, pushed to 450 atmospheres, gave only negative results.

We may, then, suppose that at high pressures a gas and a liquid may be dissolved in one another, so as to form a homogeneous whole.

An Englishman's Views on American Manufactures. In a lecture recently delivered in Sheffield, England, Mr. W. K. Marples, of that town, related his experience and observation in his travels through the United States

"I found," says the lecturer, "in visiting various American factories, machinery much more generally used than it is with us-in fact, I sometimes saw machinery employed for a process which might have been done more cheaply by hand labor; but we must remember that until recently skilled workmen were not numerous in the States, and so manufacturers were driven to the use of machinery. The Americans are much more advanced in manufactures of all kinds than many of us are aware. Cabinet furniture, glass and china, cutlery tools, guns and pistols, agricultural implements, carpets, linen, in fact, soft and hard goods of every description are made, and in most instances made well, in the United States. Their resources are wonderful; nature has given them coal, iron, waterpower, etc., with the finest navigable rivers in the world, and then their chiefly English origin has given them pluck, endurance, and perseverance under difficulties, and these qualities, coupled with the immigration of many of our best artisans, have in the comparatively short space of 100 years worked marvels for them. The New England States are one vast hive of manufacturing industry, and it is here that the brains of inventors are stimulated to their utmost powers in developing labor-saving articles, and the machinery to make them.

"I think the introduction of the many American ideas and inventions into England that has been attempted during the past few years will tend to develop new ideas among our workpeople, and assist us in holding our position as the great manufacturing nation of the world. I have little fear that English hardware manufacturers will succeed in holding their own in all markets where the duties are not prohibitory as in the United States. There is little doubt that much of the boasted superiority of American manufactures in the matter of price was a mere myth, and I am fully convinced that until a few months ago, when the hardware trade in America was so depressed, the manufacturers there exported goods to England at a positive loss. In some cases this has been admitted, and the enormous advances, amounting in some goods (notably in locks) to over 100 per cent, bear me out in this opinion. Many goods, that up to a short time ago were imported from America, are now manufactured in England, and the Americans would seem to be doing their best to destroy the trade which antil recently they were apparently so anxious to build up. English manufacturers have been fully alive to the situation, and will not readily allow American manufacturers to recover the ground they are now losing."

The Railways of London.

A London paper states that the rails used by the companies within a radius of 6 miles of Charing Cross would form a single line from London to John O'Groat's house, a distance of 750 miles. This estimate does not include the rails in bays and sidings, but it includes all double, treble, or quadruple tracks. Leaving all duplicate lines aside, the incredible number of 260 miles of railway is in daily opera tion in the metropolitan district. From Hendon and the Alexandra Palace on the north to Penge and Streatham on the south, from Forest Gate and Woolwich on the east to Acton and Willesden in the west, thirteen different companies hold sway, not including the East London, whose line is worked by another company. There are also six short lines, varying from 43/4 miles to 1 mile in length, owned and worked by the companies jointly. The Brighton Company owns the greatest mileage in the metropolis-37 miles. It is closely run by the Great Eastern with 32. Then comes the London and Southwestern with 27; the London, Chatham and Dover and Northwestern follow with 24 each So far as using the lines are concerned, the London and Northwestern run over more than one-fourth of the whole metropolitan system. The trains of this great company use the lines of five other companies, practically adding 44 miles to their own system. The Great Northern has running powers over the lines of six companies, embracing 36 miles. The mixed nature of the metropolitan system is apparent in above, producing a homogeneous matter, without sensible the fact that over the London, Chatham and Dover Railway change of volume; and nothing seems to hinder us from five companies run their trains. The Metropolitan Comsupposing that the gas and the liquid are dissolved in one pany's lines are open to four companies. The Southeastern another. I have tried to verify this hypothesis by coloring alone uses no other lines, though it has running powers over the liquefied carbonic acid. Of all the substances tried, the East London. If there be added to this astonishing sys iodine alone was capable of dissolving in the acid; but, un tem of locomotion the 70 miles of tramways now open, the fortunately, in this experiment the mercury is rapidly at omnibuses which ceaselessly traverse the metropolis from tacked, and the phenomenon is immediately masked by the one end to the other, the thousands of cabs, the passenger iodide of mercury, which is deposited on the wall of the steamers which ply on the river-the magnitude of the means daily employed by the people of London in getting One might, however, suppose that the disappearance of from one part of the "New Babylon" to another will strike the liquid is only apparent; that the index of refraction of the observant mind. With all this vast traffic the injuries compressed air, increasing more quickly than that of the to life and limb, save in the cases of street accidents, are considerable distance, all the time making a peculiar hum liquid carbonic acid, there comes a moment when the two comparatively few. With trains flying above ground and ming noise like that of a telegraph wire in the wind. He has indices becoming equal, the surface of separation of the underground, over complicated points and through crowded

THE LITERARY REVOLUTION .- HISTORY.

On another page will be found advertised Macaulay's England, in three volumes, Knight's England, in four double volumes, Gibbon's Rome, in five volumes, and other standard histories, at prices which place them within easy reach of thousands who could never before within easy reach of thousands who could never before reconcile their literary longings with their seanty belongings. The prices are now the marvel. At first readers doubt if they are real; then if the books are well made: for no previous experience shows that books can be at once good and cheap. When actual inspection demonstrates that they are well printed from good type, on fair white paper, and are bound neatly and durably, then the marvel is that the thing can be done for the well-shows deep that they are giving their wares. derany, then the mervel is that the ming can be also for its publishers deny that they are giving their wares away. They have simply adopted a system by which the eager crowd that wants their books get with them whatever advantage may accrue from large editions, cash sales, and the abrogation of the long series of intermediate profits that usually lie between the maker and the buyer

Type setting by steam lends its aid. The compositor its before his lettered key-board like an organist at is desk; the types, responsive to the call of his deft site before his lettered key-board like an organist at his deak; the types, responsive to the call of his deft fingers, step out into the ever-growing file whence a sec-ond workman takes the ranks that march in solid col-nium down the printed page. Breins guide this ma-chine, but the distributer is entirely automatic, assort-ing the letters swiftly with the utmost precision. Although history is prominent in this advertisement, the lessues of the AMERICAN BOOK EXCHANGE include

logues of books now ready, and of important additions to be made at no distant day, will be cheerfully sent to any address. -Adv.

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue, The publishers of this paper guarantee to advertisers a circulation of not less than 50,000 copies every speekly issue

Send stamp for Illustrated Descriptive Price List of the Step Ladder, Ironing Table, and Clothes Drier. An ingenious combination. Useful in hotels, laundries, and every household, in every climate. See description in No 12, Vol. 42, Scientific American. J. H. Martin, Hartford, New York.

Best and cheapest Piston Water Meter; also machines for setting tires cold by hand or power. Send for circular. J. B. West, Rochester, N. Y.

Wanted-30 H. P. Portable Engine; new or 2d hand n Bros., South Coventry, Conn

Makers of Thermo-static Apparatus for Controlling Valves, address A. Stamm, Box 1998, Leadville, Col.

The Brown Automatic Cut-off Engine; unexcelled for forkmanship, economy, and durability. Write for in-omation. C. H. Brown & Co., sole manufacturers, fomstion: C. H Fitchburg, Mass.

Wanted—Straw Braiding Machines for Hats, Mats, Bonnets, and Hand Knitting Machines. Address Atwater St., Detroit, Mich.

The handsomest Pens made are the Gold Plated Pens by the Esterbrook Steel Pen Co., % John St., New York. Price \$2 per gross.

Catalogue of Useful Books on Applied Science sent free. E. & F. N. Spon, 446 Broome St., New York.

Telephones. -Inventors of Improvements in Telephones and Telephonic Apparatus are requested to com-municate with the Scottish Telephonic Exchange, Limi-ted, 34 St. Andrew Square, Edinburgh, Scotland. J. G. Lorrain, General Manager.

Makers of Machines for making Wagon Spokes Rims, etc., address C. D. Rathbone, Belpre, Ohio.

Blake Lion and Eagle Imp'd Crusher. See adv. p. 236. Wanted.—Foreman of Machine Shop; one accustomed to fixing hardware or light work; also Metal Pattern Maker, familiar with the gating of small patterns. Ap-ply to 8t. Louis Malleable Iron Co., St. Louis, Mo.

The genuine Asbestos Roofing (with white or gray Fireproof Coating), now in use in all parts of the world, is the only reliable substitute for tin. It is adapted for steep or flat roofs in all climates. It costs only half as much as tin, and can be easily applied by any H. W. Johns Manufacturing Co., 87 Majden Lane

Experimental Machinery, prices talr, at Ander Bros., Peekskill, N. Y.

For manufacturing sites, coke and gas coal lands, heir qualities and prices, address Melion Brothers,

Foundry and Machine Shops for sale. Established in 1946. Write for description to E. J. Hoen, Addison, Stenben Co., N. Y

4 to 40 H. P. Steam Engines. See adv. p. 290.

Wanted—Glass and Tin Fruit Cans; large quantities. Send price lists to E., Suff Bay, Jamaica, West Indies. Brass Castings; bottom prices. H.B. Morris, Ithaca, N.Y.

For Alcott's Improved Turbine, see adv. p. 204. Boiler Feed Pump, with tight and loose pulleys; sto work. Price \$2. York & Smith, Cleveland, O.

Boat Engines, for sidewheel boats drawing 6 to 12 in; direct acting; link motion; cheap. Box 550, Owego, N.Y. For Sale.—Four Bollers, 100 horse power each, return drop fine; A 1 condition; \$1,500 cach. 1 Berrym Heater, 42 x %; A 1 condition; \$400. D. L. Einstei 16 White St., New York.

Corrugated Traction Tire for Portable Engines, etc. ufacturers, H. Lloyd, Son & Co., Pittsburg, Pa. Spokes and Rims, white oak and hickory, best quality, any pattern, and Hammer Handles of best blekor, an Fits, Martinsburg, West Va.

For the best Stave, Barrel, Keg, and Hogshead Maery, address H. A. Crossley, Cleveland, Ohio.

Collection of Ornaments.-A book containing over liferent designs, such as crests, coats of arms tes, scrolls, corners, borders, etc., sent on receipt l'aim & Fechteler, 462 Broadway, New York etty. Best Oak Tanned Leather Belting. Wm. P. Fore-paugh, Jr., & Bros., 161 Jefferson St., Philadelphia, Pa.

National Steel Tube Cleaner for boiler tubes. Adjust-

Stave, Barrel, Keg, and Hogshead Machinery a specialty, by E. & B. Holmes, Buffalo, N. Y.

Solid Emery Vuicanite Wheels—The Solid Original Emery Wheel—other kinds imitations and inferior. Caution.—Our name is stamped in full on all our best Standard Belting, Packing, and Hose. Buy that only. The best is the cheapest. New York Belting and Packing Company, 37 and 38 Park Row, N. Y.

Sheet Metal Presses, Ferracute Co., Bridgeton, N. J. Nickel Plating.-Sole manufacturers cast nickel anodes, pure nickel salts, importers Vienna lime, crocus, etc. Condit, Hanson & Van Winkle, Newark, N. J., and 22 and 94 Liberty St., New York.

Wright's Patent Steam Engine, with automatic cut-off. The best engine made. For prices, address William Wright, Manufacturer, Newburgh, N. Y.

Presses, Dies, and Tools for working Sheet Metal, etc., Fruit & other can tools. Bliss & Williams, B'klyn, N. Y. Bradley's cushioned helve hammers. See ilius. ad. p. 238.

Forsaith & Co., Manchester, N. H., & 218 Centre St. N. Y. Boit Forging Machines, Power Hammers, Comb'd Hand Fire Eng. & Hose Carriages, New & 2d hand Machin-ery. Send stamp for illus. cst. State just what you want.

Electrical Indicators for giving signal notice of extremes of pressure or temperature. Costs only \$30. Attached to any instrument. T.Shaw, 915 Ridge Ave. Phila.

Instruction in Steam and Mechanical Engineering. A horough practical education, and a desirable situation as soon as competent, can be obtained at the National natitute of Steam Engineering, Bridgeport, Conn. For articulars, send for pamphlet.

Hydraulic Jacks, Presses and Pumps. Polishing and Buting Machinery. Patent Punches, Shears, etc. E. Lyon & Co., 470 Grand St., New York.

Portable Forges, \$12. Roberts, 107 Liberty St., N. Y. Telephones repaired, parts of same for sale. Samp for circulars. P. O. Box 205, Jersey City, N. J.

Eclipse Portable Engine. See illustrated adv., p. 222. For best low price Pianer and Matcher, and latest improved Sash, Door, and Blin 1 Machinery, Send for catalogue to Rowley & Hermance, Williamsport, Pa.

Silent Injector, Blower, and Exhauster. See adv. p. 238. Steam Engines, Boilers, Portable Railroads, Suga Mills. Atlantic Steam Engine Works, Brooklyn, N. Y.

ning and Matching Machines, Band and Scroll Saws, Universal Wood-workers, Universal Hand Jointers, Shaping, Sand-papering Machines, etc., manuf'd by Bentel, Margedant & Co., Hamilton, Ohio. "Illustrated History of Progress made in Wood-working Ma

Fire Brick, Tile, and Clay Retorts, all shapes. Bo & O'Brien M'f'rs, 23d St., above Race, Phila., Pa

Peck's Patent Drop Press. See adv., page 236. Chase's Pipe Cutting & Threading Machine. Send for drcular. Chase Machine Co., 120 Front St., New York.

The Chester Steel Castings Co., office 407 Library St., Philadelphia, Pa., can prove by 15,000 Crank Shafts, and 10,000 Gear Wheels, now in use, the superiority of their Castings over all others. Circular and price list free. Brass & Copper in sheets, wire & blanks. See ad. p. 205.

mond Engineer, J. Dickinson, 64 Nassan St., N.Y. The Improved Hydraulic Jacks, Punches, and Tube Expanders. B. Dudgeon, 24 Columbia St., New York. For Superior Steam Heat. Appar., see adv., page 287.

We will purchase or manufacture on royalty, patenarticles of real merit. Farley & Richards, Phila., Pa. Valve Refitting Machine. See adv., page 238.

Cut Gears for Models, etc. Models, working me ery, experimental work, manufacturing, etc., to order D. Gilbert & Son, 213 Chester St., Phila., Pa.

Holly System of Water Supply and Pire Protection for Cities and Villages. See advertisement in SCIEN-TIFIC AMERICAN of last week.

The E. Horton & Son Co., Windsor Locks, Conn sture the Sweetland Improved Horton Chu

Special Wood-Working Machinery of every variety evi Houston, Montgomery, Pa. See ad. page 238. Levi Houston, Montgomery, Pa. Se The best Truss ever used. Send for descriptive circu lar to N. Y. Elastic Truss Co., 685 Broadway, New York Inventors' Institute, Cooper Union. A permanent ex hibition of inventions. Prospectus on

For Reliable Emery Wheels and Machines, addre The Lehigh Valley Emery Wheel Co., Weissport, Pa. Comb'd Punch & Shears; Universal Lathe Chucks, Lar

pertville Iron Works, Lambertville, N. J. See ad. p.108. Improved Steel Castings; stiff and durable; as soft and easily worked as wrought iron; tensile strength not less than 65.000 lbs. to sq. in. Circulars free, Pittsburg Steel Casting Company, Pittsburg, Pa.

New Economizer Portable Engine. See illus. adv. p. 206. Cutters shaped entirely by machinery for cutting teeth of gear wheels. Pratt & Whitney Co., Hartford, Conn. Hand Fire Engines, Lift and Force Pumps, for fire and all other purposes. Address Rumsey & Co., Se Falls, N. Y., and 98 Liberty St., N. Y. city, U.S.A.

For Shafts, Pulleys, or Hangers, call and see stock kept at 79 Liberty St., N. Y. Wm. Sellers & Co

Wm. Sellers & Co., Phila., have introduced a injector, worked by a single motion of a lever

Ore Breaker, Crusher, and Pulverizer. Smaller sizes run by horse power. See p.236. Totten & Co., Pittsburg.

NEW BOOKS AND PUBLICATIONS.

DEUTSCH-AMERIKANISCHE APOTHEKER-ZEIT UNG. A semi-monthly gazette devoted to the interests of Apothecaries, Physicians, Chemists and Druggists. New York: Pharmaceutical Publishing Company, 5 Gold street. Price \$2.50 a year.

The first issue of this new periodical is well printed on Roman type, and contains a number of artic interest and value to German reading apothecaries and druggists, a price list of drugs and chemicals, and a report of the drug market. It has sixteen pages about three-fourths the size of the SCIENTIFIC AMERICAN, and bears evidence of ability and vitality enough to give it Chalmers-Spence Co., 40 John St., N. Y. | an honorable rank among trade journals.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Stave, Barrel, Keg, and Hogshead Machinery a special visual visual special visual visual

Dr. Wright's conclusions are that the partially in ould be held responsible for crime; that the degree should be held responsible for crime, that the eagles of responsibility attaching to the acts of the mono-maniac is less than that which belongs to sound minds; and that capital punishment should never be visited upon one infected with any taint of lunacy.

THE AMERICAN HOUSE BUILDER. By R. G. Hatfield. Edited by O. P. Hatfield. New York: John Wiley & Sons. 8vo, cl., pp. 685. Price \$5.

This is the eighth edition of the well known treatise on the art of building by the late Mr. Hatfield. During the last year of his life the author thoroughly revised his work and rewrote a large part of it, making additions. The new volume is published in the same style as the autnor's work on "Transverse Strains."

KEY TO GHOSTISM. SCIENCE AND ART UN-LOCK ITS MYSTERIES. By Rev. Thomas Mitchell. New York: S. R. Wells & Co.

A curious book which, while it exposes in a way the osurdities of "ghostism," still seems to leave the author in a mental condition scarcely more creditable than that of the victims of the delusion he combats. The science of the work is of that amazing kind , which has not even a ghost of the spirit of true science about it, let alone any material basis.

UBER DIE VERWERTHUNG DER LINIEN GLEICHER HOHE FUR BERGBAU. Forst-, Land-, und Volkswirthschaft und deren Wichtigkeit für die Fruchtfarkeit und den Wasserreichthun sowie den Verkehr-lines Landes. Von K. Ludolff. Prague: H. Dominicus. Pp. 32. 1878.

Treats of the use of lines of equal height in mining forest culture, national economy, etc., meaning by the term, lines following the contour of the earth's surface, but always preserving the same level. For example, to maintain the level of a mill race or aqueduct without viaducts or tunnels, the channel must be carried around all the curvatures of hill and valley, its course forming a line of equal height. The author points out the applications and usefulness of such lines in the several varieties of engineering' work.

ABCHIMEDES' LEVERS: THE FULCRUM FOUND BY WILL POWERS. Philadelphia: G. W. Townsend.

A packet of slips of note paper, along the margins of which are printed these words: 1. The Cause or Source? 2. Its Essentials? 3. Associated with? 4. Its Inci-dents? 5. It Illustrates? 6. Its Effects? 7. Conclu-sions? These seven "levers" the student is expected to use in the analysis of subjects suggested or taught in newspaper articles, books, etc. Habits of critical notetaking are well worth cultivating; and these slips might be handy for such work. The suspicion, however, that the author has experimented with the "levers" and thereby acquired the style of writing and thinking shown by him on the cover of the packet, will be likely to prevent any large use of them.

THE FIELD ENGINEER. By William Findlay Shunk, C. E. New York: D. Van Nostrand.

A handy (pocket) book of practice in the survey, lo tion, and track work of railroads, prepared with specia reference to the wants of young engineers who have not had the advantage of a technical education,

A PRACTICAL TREATISE ON NERVOUS EX-TRACTICAL TREATISE ON NERVOUS EX-HAUSTION (NEURASTHENIA), ITS SYMP-TOMS, NATURE, SEQUENCES, AND TREAT-MENT. By George M. Beard, M.D. New York: William Wood & Co.

Dr. Beard writes as a specialist for the practical instruction of general practitioners of medicine, his aim being, in his own words: To describe with thoroughness, if not exhaustively, the symptoms of neurasthenia those hitherto assigned to other affections, or regarded as special and distinct diseases, to show their relations and interdependence; to distinguish them from the oftentimes closely resembling symptoms of organic disease on the one hand, and the symptoms of hysteria and hypochondria on the other; to unify and harm the complex developments and manifestations of this mainly; to indicate its pathology and rationale; and to trace out in detail its prognosis, sequences, treatment, and hygiene. "The hygiene of nervous diseases has three gospels—rest, work, and change of work."



HINTS TO CORRESPONDENTS.

No attention will be paid to communications ccompanied with the full name and address of the

Names and addresses of correspondents will not be given to inquirers.

We renew our request that correspondents, in referring to former answers or articles, will be kind enough to the date of the paper and the of the question.

Correspondents whose inquiries do not appear after reasonable time should repeat them. If not then published, they may conclude that, for good reasons, the Editor declines them.

Persons desiring special information which is purely of a personal character, and not of general interest, should remit from \$1 to \$5, according to the subject, as we cannot be expected to spend time and labor to

obtain such information without remuneration.

Any numbers of the Scientific American Suppleoffice. Price 10 cents each.

(1) G. W. D. asks: What is the rule for ining the size of steam ports, the area of pi

being known? A. Generally from one-ninth to one eighteenth the area of the piston, depending upon the pressure of steam and velocity of the piston,

(2) W. T. B. asks: Which has the most trains, the best chemist in the world or the best carpen-ter? A. We do not know of any carpenters who have ranked so high as the "best chemists," on the score of brain, capacity, power, and learning. Certainly chemistry calls for a higher and wider range of exact knowledge and greater mental power and acuter pentry does; and for quite as much manual skill.

(3) L. H. McF. asks: 1. Ought pure alcohol be used for preserving natural history specimens?

A. Spirit of wine will answer as well as strong alcohol. 2. Will methylic or wood alcohol answer the purpose?
A. Yes; in some cases alcohol is preferable.

(4) O. R. R. asks: 1. Is there any way known of keeping milk without retaining it somewhat in bulk? A. Milk has been preserved for some time by the addition to it of salicylic acid in the proportion of the addition to it of same in a second and in a proportion of ten or twelve grains to the quart; also by the use of iodate of calcium. Neither of these, however, are de-sirable in milk. 2. If a method could be discovered by which this could be done would it be of any great value! A. Very probably.

(5) R. S. M. asks: 1. If a pipe be laid five miles long over hills and down valleys, the fall being ten feet to the mile, or 30 feet total, and the pipe be kept full of water at the upper end, would the pipe be full at the lower end? I say not: am I right? A. If we understand your question, you are correct. 2. Would not the water all pass through a pipe one half the size, the last, say, 100 feet? If not, what proportion? A. The size of pipe at the lower end, to discharge all the water supplied from the upper end, will depend upon the total length of the pipe, and the number and character of the bends. 3. Would not the water flow more freely on a gradual grade than moving up and down with the hills? A. Yes.

(6) E. H. W. writes: In your issue of the SCIENTIFIC AMERICAN of March 20, under the head of "Notes and Queries," No. 22, S. G. asks about making a small engine cylinder of Babbitt metal. You directed him to use a piece of brass tubing instead, which corresponds with my idea of a small cylinder. I just successfully completed an engine a few weeks ago, cylinder 13-16 inches diameter by 2% inches stroke, with brass tube for bore of cylinder, and with Babbitt metal cast around it in the form necessary. It is a slide valve engine. Have not applied it to any machinery yet, but feel confident it will run several sewing machines at

(7) S. B. H. asks: Can the chemicals and impurities of a negative bath be identified by the help of a microscope, either in the solution or after evapora-tion? A. The microscope would be of little service in this co

(8) W. E. A. writes: I have been trying to make an imitation amber, for manufacturing purposes, but can't get it just right. Can you give me a formula or some hints in regard to it? A. A fictitious amber is prepared by melting pure bleached shellac, and keeping it over the fire until it runs clear, with care to prevent burning. It may be poured into moulds of the size of pieces required. The operation requires considerable management. The darkest and hardest pieces of gum copal are also substituted for amber. The copal may be fused with the shellac

(9) I. P. asks: 1. How many pounds of cast iron can I melt in a crucible in a brass furnace? A. 10 or 12 lb. can be handled very well. 2. How many melts can I make in a crucible before danger of cracking? A. If carefully handled, two or three. S. What must I use for a flux for cast iron? A. A little borax, or charcoal and carbonate of soda. These are not essential, 4. What can I add to scrap to make a soft casting? A. Powdered iron ore-iron rust.

(10) G. P. P. asks (1) where to find directions for making a small electric motor. A. In article on "An Electrical Cabinet" in SUPPLEMENT No. 191. 2. How can I make an Edison loud speaking telep A. See p. 116, vol. 41, SCIENTIFIC AMERICAN. 3. is the chemical reaction when the solution for chemical telegraph is decomposed by electricity, the positive electrode being of iron? (The solution is the same as described on page 124 (24), Vol. 41, Scientific American.) A. Ferric oxide is formed, which combines with the po-tassium ferrocyanide forming Prussian blue (Fe, Cy₁₀).

(11) H. A. R. asks how to make the best stove polish. A. Use pure graphite (plumbago) reduced to a fine powder and made into cakes by strong pres-

MINERALS, ETC. - Specimens have been re ceived from the following correspondents, and examined, with the results stated:

S. P.—The mineral is a micaceous hematite; it is a valuable ore of iron readily mined and in large quanti-ties.—J. D. C.—No. 1 is a good sample of argentiferous galena. The property is probably valuable. No. 2 is carbonate of lime.—M. F. B.—The sample is fool's gold and contains none of the precious metals.—J. L. H.—The substance is mica and if in larger plates would find a ready market.—T. X. O.—No. 1 is a lead carbonate carrying silver. An assay would be advirable. No. 2 is decomposed granite.-L. S.-The ore is evidently a . It is worth about \$200 per ton.-R. C. G.—They are not diamonds but quartz pebbles. 2 is worn by water. No. 3 is not a mineral but a frag-ment of shell —H. H. B.—The substance is a green mari and is much used as a fertilizer .- J. B. S not malachite but hardened green paint.—R. & Co.—Sample in green box. No. 1 is iron pyrites in shale. No. 2 is chrome iron ore.—M. R. C.—Copper and iron on pyrites in shale. sulphurets probably carrying a little silver.—J. H. V.—Quartz, iron sulphide, fluorspar. An assay would be Quartz, iron sulphide, finorspar. An assay would be necessary to ascertain the presence or absence of the

COMMUNICATIONS RECEIVED.

On Cotton Pickers. By I. J. M. On Spontaneous Combustion. By On Perpetual Motion. By H. S. B. co

6e 9

id

ild te,

[OFFICIAL.]

INDEX OF INVENTIONS

Letters Patent of the United States were Granted in the Week Ending

March 16, 1880,

AND EACH BEARING THAT DATE.

[Those marked (r) are reissued patents.]

A complete copy of any patent in the annexed list, including both the specifications and drawings, or any patent issued since 1867, will be furnished from this office for one dollar. In ordering please state the number and

date of the patent desired, and remit to Munn & Co., 37	Paddle for boat wheels, J L Cheston 225.
Park Row, New York city.	Paddlewheel. J. Sherry
	Paper, blank music, H L. Hastings 225,
Animal trap, A. McClain 225,634	Paper damping machine, W. Scott 225,4
Animal trap, J. H., W., & T. D. Morris	Paper folding machine, Chambers & Mendham . 225,6 Paper machine jacket stretcher, J. Jamison
apple grinders, pressure plate for, Boomer &	Peanut roaster, W H Burk 205.1
Boschert	Peanut stripper. J T Jones 225,6
Amore bollow, E. C. Stearns	Peg rasping machinery, W. B. Arnold
Rale tie, cotton, S. H. Gilman 225,517	Photographic images, producing, D. N. Carvalho, 225,4
Bedstead, invalid, P. F. Adams	Photographic pictures, producing, W. Kurts 225,4 Pipe crimping machine, F. R. Packham 225,6
ing fluid into, W. Linehan 225,622	Piston, steam engine, E. M. Birdsall
Post B Church 225.569	Pitman connection, W. F. Rundell 25,6
Bottle and glass stopper, glass, R. P. Smith 225,654 Bottle stopper, C. G. Hutchinson 225,476	Planter, corn, P. S. Lutz
Bottling machine, C. G. Hutchinson	Plastic compound, A. T. Woodward 225,6
Bracelet, J. Sweet	Pilers, parallel, E. N. Parker
Heafer 225,508	Plow, sulky, G. H. Warren 225,6
Bridges, guard gate for swing, Rochr & Jeyte 225,535	Post and pile driver, W. A. Newton (r) 9,1
Bung, beer, A. Fuldner	Printing machine, chromatic, G. M. Wright 25,3 Printing press sheet delivering apparatus, S. D.
Rurgiar alarm, percussion, W. H. Reiff 255,584	Tucker 25,4
Burglar alarm, portable, W. H. Reiff 225,641 Buttons, etc., from plastic materials, manufac-	Projectile, H. H. Sibley
ture of. W. L. Palmer 225,688	Pump valve, steam, M. F. De Sousa
Buttons, etc., manufacture of, Bliss & Badger 225,566	Railway switch lever, S. B. Nickum 235,4
Car brake, railway, J. R. Jones	Refrigerator, Hale & Ramsey
Car coupling, J. S. Fisher 225,583	Registering apparatus, Bennor & Pond (r) 9,1
Car coupling, J. Heffner	River banks, device for protecting, Hedges &
Car, stock, T. Clarke	Needham
Car, stock, G. F. Patterson 225,486	W. Walker 225,6
Car wheel chill, J. N. Barr	Safe for provisions, etc., D. N. Smith
Carriage dash frame, B. J. Warden 225,669	Sash lock and lift, E. J. Brooks 225,5
Carriage top, landau, H. Lines (r)	Sash, window, D. W. Clark
Cartridge primer, J. H. Gill 205,501	Scoop shovel for unloading ears, J. S. Metcaif 255,5
Casting rolls, E. L. Lamb 225,479	Seaming machine, F. A. Walsh 225,5
Catapult. O. H. Curtis	Semiphore, electric railway, J. Neshitt
Centrifugal machine, T. H. Muller 225,631	Sewing machine, J. E. Bertin 225,5
Chandeller, extension, A. H. Jones	Sewing machine, button hole, J. H. Brown 225,5 Sewing machine motor, J. V. Morton
Churn, L. W. Leake 225,040	Sewing machines, presser foot and cord guide for
Churn dasher, W. D. Snell	button hole, T. S. L. Howard 225,5
Churn motor, J. P. Rogers 225,644 Cloth rolling machine, A. Brown 225,557	Shaft and sheath, flexible, W. H. Gates
Cock handles, covering for steam, J. Morrison 220,491	Shell, time, M. Coloney 225,4
Comb frame tongs, A. Hansen	Shells, torpedoes, etc., time firing mechanism for, M. Coloney
Cooker and drier, steam feed, T. E. Daniels 225,511	Shirt, J. H. Kirkpatrick 225,6
Cooker, steam, W. G. Flanders	Shoe fastening, W. Kraemer
Corset clasp, O. C. Haskell	Shoe holder and box draw, combid, C. A. Simonds 225,65 Shutter fastener, C. Garlick
Crate, G. E. Bender 225,551	Sign, transparent, H. Child 225.56
Creamer, S. S. Weldon	Sink trap, E. W. Anthony
Curtain roller. Fisher & Gamble 225,582	Spark arrester, G. B. F. Cooper
Dam or sluice weir, clough, A. Pasqueau 225,533 Dental jaw brace, G. H. Hurd 225,525	Spoons, device for plating, P. Concannon
Disintegrating mill, L. J. Bennett 225,552	Steam engine, S. N. Silver 225,60
Distilling oil, apparatus for, P. Nicolai	Steam generator, King & Drake
Ditching machine, C. D. Edwards	Steam heater, S. F. Gold
Ditching machine, W. Stacy	Stove attachment, magazine, R. Hatchman 225,56
Drawer pull, G. L. Donovan	Stove, eoal oil, W. B. Billings (r)
Egg holder, J McGlinchy 225,500	Stove, heating, O. W. Nobie 225,48
Eggs, composition for preserving, A. Good 225,518 Elevator, J. A. Groshon	Straw cutter gearing mechanism, J. Weichhart 225,67 Sugar moulding machine, C. H. Hersey 225,60
Elevator and carrier, combined, A. A. Munson 225,630	Suspender end, T. O. Potter 225,68
Elevator and fountain, A. A. Sanford 225,646 End board fastening, C. F. & E. E. Whipple 225,544	Tap valve, M. G. Gillette
Engraving printing surfaces, M. Bradley 225,457	Telegraph signal box, fire alarm, J. M. Gardiner. 25,56
Envelope, J. D. Terry 225,540	Testing machine, G. Matheson 225,52
Fare box, W. H. Hornum	Thill coupling, H. Albers
Feed water heater and ateam generator, C. D	Tool, combination, C. S. Garrigus 225,58
Smith	Torpedo, marine, M. Coloney
File, bill and letter, G. V. Nauerth	Trucks, safety hook for car, L. B. Stilson 225,65
Firearm, magazine, Tiesing & Kennedy 225,664	Trunk, cross slatted, C. A. Taylor 226,49
Flour, etc., apparatus for bolting, Shuttleworth & Morse	Tube making machine, P. Retlly
Fruit gatherer, J. N. Jarman 225,610	Turbine gate, J. H. Staples
Furnace grate, W. Gillespie	Type setting and distributing machine, P. Dillon 225.46 Valve, cylindrical, F. Winters, Jr
Glass, etc., machine for grinding, Lake & Weller. 225,619	Velocipede, railway, W. H. Fox 225.58
Governor, W. E. Crane 225,573	Washing machine, M. C. Greenland 225,58
Grain cargoes, device for preventing the shifting of, W. E. Ferguson	Washing machine, J. F Schlossstein
Grain drill teeth, detachable point and fastening	P. A. Vuille
for, W. H. Wilson	Water motor, D. Drawbaugh
Prowitt 225.640	Wheat drill S. Williams 255,542
Urain rick frame, C. Geirer. 225 589	Whin socket H. R. Pitner 200,450
Grate bar, E. Haycox	Wind engine, B. E. Strait
Granding wheels, composition for, C. E. Stevens. 235,658	Wood cutting tool, F. Hanson 285,470
Gun, machine, M. Coloney	
Harrow and clod crusher, P. Nishwitz 225 cm	D.BOTO.VO
Hog and cattle vat, E. Ellis	DESIGNS.
Horse quarter boat. E. Barnard 255,608	Carpet, W. J. Gadsby
norse rake, H. C. Herchelrode 225,603	Charact T I Stearns
Hub, venicle wheel, G. Tozer 225,498	Paratonae II C Rainbridge 11,000
10e cream freezer. Patterson & Hayes 226,487	Fork and spoon handles, W. C. Reattle
25.676	Stage scene, W. A. Mestayer 11,000
Ironing table, C. F. W. Seidel 225,648	Stocking fabric, J. E. Hanifes
	Suspender ends, W. F. Osborne

 lee pick, C. S. Watson
 285,670

 Ironing table, C. F. W. Seidel
 225,648

 Jetty, portable sectional, J. Grant
 25,608

 Key ring, B. H. Melendy
 225,608

~ ~ ~ · · · · · · · · · · · · · · · · ·	· N
Lamp, O. Sweeney	05,662
Lamp body, J. Kints	112 PM
Lamp burner, K. H. E. Hovby	NOT THE
Lamp, electric, J. H. Guest	25,594
Latch, gate, S. B. Hiney	25,590
Locked switch, J. W. Reinhart	\$5,643
Looms, pile wire mechanism for, G. Dixon 2	20,000
Marbio, Ornamentation of furniture J. Borkey 9	203 20
Marbie veneering, T. C. Lamb	919 30
Measuring device, tailor's, H. H. Woolson 9	95, 200
Meat packing device, E. Detwiler o	98.467
Middlings purifier, Case & Stein	95 564
Signification of the state of t	95,494
Mower, H. A. Howe 2	25,607
Mowing and reaping machine, C. Taylor 2	25,063
Music leaf turner, F. L. Becker 2	25,550
Natting machine, A. Knowiton	25,327
Natling machine, hand, S. E. Mower	25,482
Ordnance, breech-loading, M. Coloney	30,461
Paddle for boat wheels, J L Cheston	23,000
Paddlewheel. J. Sherry 2	05,400
Paper bag machine, W. C. Cross 2	25, N/A
Paper, blank music, H L. Hastings	95.500
Paper damping machine, W. Scott	95 493
L'apper Ioloung machine, Chambers & Mondham	95 500
Paper machine jacket stretcher, J. Jamison 2	25,600
Peanut roaster, W. H. Burk	15.561
Peanut stripper. J T Jones 2	25,613
Peg rasping machinery, W. B. Arnold	25,504
Permutation lock, C. J Reno	25,490
Photographic images, producing, D. N. Carvalho, 2	25,456
Photographic pictures, producing, W. Kurts 2 Pipe crimping machine, F. R. Packham 2	25,478
Piston, steam engine, E. M. Birdsall	(0,000) M. KAR
Pitman connection, W. F. Rundell 2	15,645
Planter, corn, P. S. Lutz	15.548
Planter, corn, B. T. Stowell 2	15,000
Pilers, parallel, E. N. Parker	15,679
Pilers, parallel, E. N. Parker	15,485
Plow, sulky, P J. Smith	15,538
Plow, sulky, G. H. Warren 2	25,668
l'ost and pile driver, W. A. Newton (r)	9,119
Printing machine, chromatic, G. M. Wright 25	5,001
Printing press sheet delivering apparatus, S. D.	
Projectile V V Sibles	
Projectile, H. H. Stbley	
Pump valve, steam, M. F. De Sousa	IS 578
Railway switch lever, S. B. Nickum 2	
Refrigerator, Hale & Ramsey 2	
Befrigerator, Moseley & Koch	15,630
Begistering apparatus, Bennor & Pond (r)	9,118
River banks, device for protecting, Hedges &	
Needham 2	15,522
Buffled fabrics, machine for pressing or creasing.	
W. Walker 25	15,667
Safe for provisions, etc., D. N. Smith 23	
Sash fastener, J. W. Todd	
Sash lock and lift, E. J. Brooks	866,68
Scales, pendulum, P. Evens, Jr	15.512
Scoop shovel for unloading cars, J. S. Metcaif 2	5,531

Scales, pendulum, P. Evens, Jr	235.513
Scoop shovel for unloading ears, J. S. Metcaif	245,531
Seaming machine, F. A. Walsh	225,500
Semiphore, electric railway, J. Nesbitt	225,633
Service box, junction, S. E. Babcock	225,546
Sewing machine, J. E. Bertin	225,558
Sewing machine, button hole, J. H. Brown	225,559
Sewing machine motor, J. V. Morton	225,627
Sewing machines, presser foot and cord guide for	
button hole, T. S. L. Howard	225,533
Shaft and sheath, flexible, W. H. Gates	225,516
Sheet metal can, F. A. Walsh	225,499
Shell, time, M. Coloney,	225,450

Shells, torpedoes, etc., time firing mechanism fo	F.
M. Coloney	225,460
Shirt, J. H. Kirkpatrick	225,616
Shoe fastening, W. Kraemer	225,477
Shoe holder and box draw, combid, C. A. Simono	la 225,652
Shutter fastener, C. Garlick	. 225,470
Sign, transparent, H. Child	225,568
Sink trap, E. W. Anthony	205,000
Soldering apparatus, can, F. Westerbeck	285,543
Spark arrester, G. B. F. Cooper	. 225,573
Spoons, device for plating, P. Concannon	225,571
Steam boller and furnace, E. H. McNiel	. 225,625
Steam engine, S. N. Silver	. 225,651
Steam generator, King & Drake	
Steam generator M. W. Lovell	225,490

DESIGNS.

DESIGNA		
Carpet, W. J. Gadsby	11,681	
Carpet, D. MeNair	11,683	
Carpet, T. J. Stearns	11.603	
Carpet, T. J. Stearns	11.600	
Envelopes, H. C. Bainbridge	11,000	
Posts and appear handles, W. C. Heattle	11,000	
Glasses, etc., bases or supports for, H. L. Palmer.	11,665	
Stage scene, W. A. Mostaver	11,000	
Stocking fabric, J. E. Hanifen	11.600	
Suspender ends, W. F. Osborne	11,694	
Suspender ends, W. F. Osborise	11 680	
Umbrella handles, Heiter & Lesem	11,000	
Watch crowns E. Hunziker	11,689	

TRADE MARKS.

Braid pins, A. Cook	1,86
Cheese, Neuenschwander & Co	7,86
Plows for breaking up and cuitivating the soil,	
E. B. Whitman	2,65

English Patents Issued to Americans.

From March 12 to March 16, 1860, inclusive Coal picking and cutting machine, C. Morse, U. S. A. Lamp, oil, B. Hitchcook et al., Watertówn, N. Y. Music leaf turner, F. L. Becker, Galveston, Texas. Paper, repulping process for, C. Coon et al., Saugerties, N. Y.

Press regulator for water pipes, C. C. Barton, Rochester N. Y.

Sewing machines, C. E. L. Holmes, New York city.

Advertisements.

Inside Page, each insertion ---75 cents a line. Back Page, each insertion ---75.00 a line. Back Page, each insertion ---75.00 a line. Engravings may head advertisements at the same yate per line, by measurement, as the letter pres. Advertisements must be received at publication after as early as Thursday morning to appear in acct tesus.

The publishers of this paper guarantee to adver-tisers a circulation of not less than 50,000 copies every weekly issue.



TRIUMPH MIDDLINGS MILL.

WILCOX, SHINKLE & MILLER, Mill Furnishers, PITTS BURGH, PA. Established in 1848.

WANTED-A SECOND HAND ONE-HALF HORSE power Portable Engine; also, a small Electric Light Machine. Address, JAS. A. McELROY, Zanesville, O.

FOUR (4) DIFFERENT KINDS OF Cactus Plants (fine blooming) and five (5) valuable kinds of Seeds, sent free by mail for \$1. Address H. FUCHS, Tiger Mills, Burnet Co., Texas, via Bound Rock, Burnet and Sandy Mountain to Tiger Mills, Texas.



Bampor Rogulator.
Superior in every respect to all other regulators. The greatest fuel-awing appliance ever invented. Insures safety from explosion. In ordering mention steam pressure. Hink catalogue sent on application. We set it up and guarantee performance. Price, \$75.00.

AMERICAN STEAM APPLIANCE CO.
18 & 15 Park Row, SOLE MADUFACTURERS, NEW YORK.

THE BUFFALO PATENT EXCHANGE



AGENTS Catalogue free. \$7 per day made easy.

LEATHER BELTING OF THE BEST LEATHER BELITING OF quality manufactured and for sale at the lowest market price, by 108 Cliff Street, N. Y.

XX COT (not painted,) White Duck \$2.



203,466 AHEAD OF ALL COMPETITION!



EIGHT SIZES FOR HAND USE.
Weighing from 22 to 51 lbs.
THREE SIZES FOR HORSE POWER.

AMERICAN JOURNAL OF INDUSTRY

ndustrial journal in the Unic

"Select List"

Geo. P. Rowell & Co.'s Select List of Local Newspapers.

Many persons suppose this list to be composed of CHEAP, low-priced newspapers. The fact is quite otherwise. The catalogue states exactly what the papers are. When the name of a paper is printed in FULL FACE TYPE it is in every instance the BEST. When printed in CAPITALS it is the ONLY paper in the place. The list gives the population of every town and the circulation of every paper. IT 18 NOT A CO-OPERATUE LIST. IT 18 NOTA CHEAP I.IST. At the foot of the Catalogue for each State the important towns which are not covered by the lists are enumerated. IT IS AN HONEST I.IST.

merated. IT IS AN HONEST LIST.

An old elevertiese verifies: "I prefer the LOCAL LIST for the reason that, while but a few persons in any particular town subscribe for a class medium (or darge city weekly) who out of the subscribe for their local paper, and the tenth one borrows it from his neighbor."

An advertiere, who spends uppeareds of \$10.00 a year and who inverted less than \$400 of it in this List, covites: Your Select Local List paid we better lust year THAN ALL THE OTHER ADVERTISING I DID."

The ratios charged for nedvortising are bested you con-fitties.

THAN ALL THE OTHER ADVERTIBING I DID."
The rates charged for advertising are barely one-fifth
the publishers' schedule. The price for single states
ranges from \$2 to \$80. The price for one inch one
month in the entire list is \$6.56. The regular rates
of the rappers for the same apace and time are \$3.683,
16. The list includes \$97 newspapers, of which 183
are issued DAILY and 784 WEEKLY. They are
located in \$67 different cities and towns, of which 183
are State capitals, \$37 piaces of over \$,000 population, and \$4.5 County Seats. For copy of List and other information address

GEO. P. ROWELL & CO.,

Newspaper Advertising Agency,

10 Spruce St., New York.

SEND ADDRESS on a Postal Card for a mechanical, scientific, phrenological, health, and miscellaneous books to be sold at about half price before removal to our new store. Address S. H. WELLS & CO., 747 Broadway, New York.



PROGRESS OF INDUSTRIAL CHEMISTRY.—By J. W. Mallet. The latest and most approved processes, and the latest experimental results in the manufacture of the following important commercial products: Niter, Potassium Chloride, Potassium Chloride, Potassium Sulphate, Potassium Chloride, Potassium Chloride, Potassium Sulphate, Potassium Cyanide, Sodium Richerde, Sodium Richarde, Sodium Chloride, Sulphisma Sulphate, Control, Sulphisma Sulphate, Sulphisma Sulphate, Sulphisma Sulphate, Sulphisma Sulphisma Sulphate, Sulphisma Sulphis



MAGNETIC REACTIONS .- BY THEO. MAGNETIC REACTIONS.—BY THEO, du Moncel. An interesting and instructive paper, by one of the most eminent of French electricism, demonstrating that the effects of magnetism, like these of electricity, are of two different natures, seconding as magnets set as currents or as charges in the static state. Static action and dynamic action defined. How static magnetism is distributed in a simple magnetic system shown by magnetic phantoms. The effects which result from resolutions exchanged between a magnet and its armature. Apparatus for showing this. Magnetism, from a static point of view, shown to behave like electricity in a condenser. Magnetic condensation. Memanent Magnetism. Illustrated with 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 217. Frice 10 cents. To be had at this office and from all newsdealers.

THREE SIZES FOR HORSE POWER.

The complete victory and highest awards at the exhaustive Field Trial at the Paris World's Exhibition in 15%, together with those at the great hundred-day trial at the Centennial in 16%, prove that these machine the contennial in 16%, prove that these machine the contennial in 16%, prove that the example of the contennial in 16%, prove that the mean of the contennial in 16%, prove that the contennial that the provided with the contennial that the contennial th AN EASILY MADE SMALL, STRONG, AND CHEAP BOILER, for little Steamboats. By H. K.

FOR SALE.

Extra Strong Screw Presses, Calender Rolls, and other machinery connected with the manufacture of R. R. M.D. A valuable paper, giving a report of four cases, cards and tickets. This offers an excellent open rounding for any one desirous of a producible business with an uniform many of the rounding for any one desirous of a producible business with an uniform the beneficial force and of a producible business with an uniform the prological drum-heads, and burfalo.

WANTED.—Stationary Engine. It to 39 Horse. Ressay, Contained in Scientific America, Surprise and Mortising Machine, Exhaust Fan. THOMAS HIGGINS & SON, Vienna, Dorchester Co., Md.





STEAM PUMPS.

HENRY R. WORTHINGTON, 239 Brondway, N. Y. S3 Water St., Boston. 709 Market St., St. Louis, Mo. WORTHINGTON PUMPING ENGINES FOR WATER RES-Compound, Condensing or Non-Condensing. ed in over 100 Water-Works Stations.

WORTHINGTON STEAM PUMPS of all sizes and for all

Prices below those of any other steam pump in the market.



POWER CIDER PRESS

DOUBLE PLATFORM. Boomer & Boschert Press Co.,

nd CATALOGUE of 1-Ct. SONGS 5, Watches, Revolvers and SONGS 10. CHEAPEST & largest SC. N. Y.

Photograph Visiting Cards. Circulars and 60 Samples for 10c. SEAVY BROS., Northford, Ct.

PENNSYLVANIA LAWN MOWER.



LLOYD, SUPPLEE & WALTON,

Patent Steam Friction Crane



NOBLE & HALL, ERIE, PA.

THE DINGEE & CONARD CO'S

r Great Specialty is growing and distributing autiful Roses. We delicer Strong Pot Pl table for immediate bloom, safely by mail at all suitable for symeosiate bloom, earlely by most at all post-offices. Spleudid Varieties, spor shote, all hosted, for \$1,12 for \$21,19 for \$31,26 for \$41,35 for \$57 75 for \$10,100 for \$13,127 send for our New tialde to Rose Culture—O pages, ciegantly illus-rated—and cloose from over Flvy Hundred Finest

Rose Growers, West Grove, Chester Co. Pa



50 Motto, Gold, Fioral, Scroll, Snowflake Cards, 10c. Agts. Samples, 10c. Stevens Bros., Northford, Ct.

THE FRICTION CLUTCH CAPTAIN



Priction Hoisting Engines and Hoisting Drums,



Eureka Band Saw

EMERY WHEELS FOR SAW GUM

 $\begin{array}{c} 8x_{14} \\ 8x_{16} \\ 8x_{16} \\ 8x_{16} \\ \end{array}$ % in. hole. $\begin{array}{c} 10x_{16} \\ 10x_{16} \\ 10x_{16} \\ \end{array}$ % in. hole.

TESTIMONIALS.

Office of Dodge and Melgs, Tobyhanna Mills, Pa.
T. DUNKIN PARET, PRES'T THE TANITE Co.—Dear
ir: Yours, making inquiry about the working of your
anite Emery Wheels, duly received. We have been
sing them for about four years, to our entire satisface.
Have tried Vulcanite and Diston's Wheels, but
refer yours. For the past year we have used them for

gumming and sharpening our Gang Saws, and find a decided improvement on the old press gummer. We are running two circular mills, for which we purchase Seinch Saws, gauge 6 and 7. These saws we grind once in four or five days, requiring from forty minutes to one hour to dress them; shaping the tooth entirely on the Tanite Wheel, using the file only to point to come 4/5 foot. Saws, large, Also running one gaze of the time sech day, taking gauge 11, changing tress the twenty-one on the wheel. In addition to the above we use two 7 foot Mulays, one 6/5 foot Mulay, two 23 inch Edgars, and two 25 cut-off Saws, all of which are dressed on your beveled Wheel it inches diameter by \$4\$ inch thick, Class 2.

Yours respectfully, 1. S. CASE, Superintendent.

Factoryville, Pa.

Anderson, Ind.

Alexandra, Va.

Alexandra, Va.

Alexandra, Va.

The TANETS COMPANY.—The wheel I ordered from you is satisfactory. It cuts faster and beats less that the second of the sec

THE TANITE COMPANY, Stroudsburg, Monroe Co., Pa.



A 760 PAGE DICTIONARY FOR 42, CTS.
The American Dictionary of the English Language The American Dictionary of the English Language contains 700 pages. 30,000 words clearly defined, accurately pronounced, and correctly spelled, with nearly 300 illustrations, and is handsomely bound in cioth, with gilt stamp. A library of language in itself. No excuse for word ignorance now. Sent, postpaid, for 42 cents, which is much less than the publisher's price. Two books for 75 cents. Stamps taken.

BUR* * PRENTICE, Booksellers. 73 Beekman St. N.Y.

WE MAKE a Good Strong

Cylinder 12x15 inches; 35 Horsé Power; with Fly Wheel or Pulley and Governor. All complete. New. Price, \$600. Address W. P. DUNCAN & CO., Bellefonte, Pa.



50 Pin-a-4, Chromo, Lily, Lace, Marble, etc., Cards, in case, 10c. Globe Card Co., Northford, Ct.

MANUFACTURER WANTED TO make Selxas' Patent Weighted Horse Shoe, as describe in this journal Feb. 18th. Address J. S. BBOWN, Galveston, Texas.

BIG Inducements to active alents to sell our goods.
Terms and circulars free. Address the manufacturers, GEO. VAN SANDS & CO., Middletown, Cons.



THE FORSTER-FIR THE FURSIER-FIRMIN GOLD AND SILVER
AMALGAMATING COMPY
of Norristown, Pa, will grant
state rights or licenses on
easy terms. This system
works up to assay, and recovers the mercury rapidly.
Apply as above.

WANTED,

VALUABLE MACHINERY engines and boilers. Address early, POPE IRON & METAL CO., St. Louis, Mo.



STEAM PUMPS FOR EVERY DUTY. VALLEY MACHINE CO., EASTHAMPTON, MASS.

CORRUGATED AND CRIMPED IRON
ROOFING AND SIDING,
Iron Buildings, Roofs, Shutters,

HARDWOOD LUMBER AND

veneers.

GEO. W. READ & CO.,

186 to 200 Lewis St., New York.



We can warrent to save gentlement of the control of

50 Chromo, Glass, Scroll Wreath, and Lace Cards, 10c. Try us. Chromo Card Co., Northford, Ct.



Bookwalter Engine.

Price of HORSE POWER...

JAMES LEFFEL & CO., Springfield, Ohio. or 110 Liberty St., New York.

50 Perfumed Cards, best assortment ever offered, 10c, Agts. Outfit, 10c. CONN. CARD Co., Northford, Ct.

Plans and Specifications for a Rice Cleaning Mill.

With a capacity of 100 casks per day, and for a storehouse for rough rice with a capacity of 150,000
bushels, to be built in the city of Savannah, Ga., are invited for thirty days. Right reserved to reject any or all bids. For particulars, apply W. P. CARMICHAEL, HENRY TAYLOR L. W. HASKELL, J. A. HUGER,
Savannah, Ga., Committee.



Universal Hand Planer,

RUBBER BACK SQUARE PACKING. BEST IN THE WORLD. For Packing the Piston Bods and Valve Stems of Steam Engines and Pumps.

RUBBER BACK SQUARE PAUKING

BEST IN THE WORLD.

Brepresents that part of the packing which, when in use, is in contact with the Piston Rod.

A the charife bear of the packing which, when in use, is in contact with the Piston Rod.

A the charife bear when keeps the part is against the rod with sufficient pressure to be sions-tight, and yet resists but little friction.

This Packing is made in lengths of about 20 feet, and of all sizes from ½ to 3 inches square.

This Packing is made in lengths of about 20 feet, and of all sizes from ½ to 3 inches square.

Cincinnati Gas Light and Older Co., Cincinnati Gas Light and Older Co., Cincinnati, Q., Cincinnati, Q.,

creates but little friction.

This Packing is made in lengths of about 20 feet, and of all sizes from 34 to 2 inches square.

FRANK & CO.,

Buffulo, N. V.

JOHN H. CHEEVER, Trens. NEW YORK BELTING & PACKING CO., 37 & 38 Park Row, New York.

IMMUL-BOOK, sent tree, contains to name and description each plant, with instructions for sence-cessful cultivation, not purchase plants elsewhere before sending for our set HAND-BOOK Every loves of Rossers should have it. Every one wanting new and choice plants should send for of Rond-Book. HOOPERS, BROTHER, & THOMAS, OUTBERT HILL, NUBERIES,



workshop business.
COMPLETE OUTSITS for Mechanics and Amateurs.
MACHINES ON TRIAL IS DE-

PHOSPHOR-BRONZE,

BEARINGS, HYDRAULIC

Cog Wheels, SLIDES, VALVES,

Pump Rods, Thosphos- Bionze BOLTS, ETC.

The Phosphor-Bronze Smelting Co., Limited, 2038 Washington Ave., Phila., Pa.

sole Manufacturers of Phosphor-Bronze in the U.S.



JAMES W. QUEEN & CO., CHESTNUT ST., PHILADELPHIA, PA.

Catalogues sent on application. Part 1.—Mathematical Instruments, Part 2.—Optical Instruments, Part 3.—Magic Lanterns, Part 4.—Philosophical Apparatus.

Ammoniacal Liquor and Coal Tar-scaled Proposals will be received at the office of technical Gas Light and Coke Company, Cinciana ito, until 12 o'clock noon, May Ist, 1980, for the Amaical Liquor produced at the works of said Compar tending over a paried of the 60 works of said Compar

The Literary Revolution—History.

Acme Library of History.

In this series it is proposed to presen: the works of the great authors whose writings have themselves become a part of history, and are associated in the minds of all readers with the nations whose history they near the we shall publish them at prices which, compared with usual rates, will be considered marvelously low.

The type in the Acms and in the Aidius Editions is the name. The paper in the Acms Edition is light, but excellent in quality, and all that is generally desired. All of our binding is extra well done. The cloth binding is were and in the Aidius Editions is the name. The paper in the Acms Edition is light, but binding is were leaded to any one who can spare the small usage. The Aidius Edition is printed with extra care, on heavy paper, with a tile the much more desirable of the one of the Aidius Edition is printed with extra care, on heavy paper, with the left margins. It this form our books will compare favorably, if they do not contrast favorably, with the best editions of the same

A stee best possible advertisement for our historical series will be to acuter the volumes among purchasers througho, the country, and thus offer to the first 10.000 purchasers of Gibbon and Macaulay a special discount of 10 per cent, from the list prices given. Reader of the paper who will culoud and very best of this paper who will culoud and very best of this paper. Will be sure of admittance at the first 10,000 paper, will be sure of admittance at the first 10,000 rate.

Macaulay's History of England.

History of England. By Thomas Babington Macaulay. In three volumes of about 2,300 pages, beautiful new large-faced brevier type, with very fail index. Volume III., completing the wors, ready barch dist.

Acres decidion, half Russia, sprinkled edges.

Addus Edition, half Russia, glit top.

Postage: Acme Edition, 24cents; Addus Edition, 36cents.

For reading or reference we believe this to be the best edition of Macaulay ever issued. Readers will certainly prefer it to the five-volume edition which until recently was sold by the millionaire publishing houses at \$7.00 for the cloth, but lately reduced considerably by competition with us.

"The most popular historical work that ever issued from the English press. . . As widely as our language has traveled these volumes have spread the reputation and the opinions of the author."— Edisbergh

"Mr. Macaulay can afford to smile at all reviewers who affect to possess more than his own gigantic stores of information."—**ir Archibidd Alison.
"Every page bears textimony to a degree of conscientious and minute research which no historian has ever surpassed."—**North British Resies.
"The style is faultiously luminous; every word is in its right place; every sentence is exquisitely balanced; the current never fiaga."—**Westminder Review.
"Macaulay is like a book in breeches."—**Spracy Smith.

Milman's Gibbon's Rome.

History of the Decline and Fall of the Roman Empire. By Edward Gibbon. With Notes by H. H. Milman.

A new edition, in five volumes, with very full Index. The type is new, very clear, large-faced boargeois.

Volume V., completing the work, ready March 25th.

Acme Edition, extra cloth, gilt title.

Acme Edition, alf Russia, spilt top.

3 75

Aldus Edition, balf Russia, spilt top.

9 00

Postage: Acme Edition, 40 cents; Aldus Edition, 60 cents.

No other edition of Gibbon's Rome ever published in this country at less than four times its price will ompare with this in beauty of typography, convenience of form and excellence of binding.

"He exhibits his ideas in the most splendid and imposing forms of which the English language is capalle."—Pressoit.

"He exhibits his ideas in the most spiencial and imposing round of Monthly Review.

"As edited by Milman, a work for all time and all classes."—London Monthly Review.

"Gibbon, the architect of a bridge over the dark guit which separates ancient from mod-rn times, whose vivid genius has tinged with brilliant colors the greatest historical work in existence."—Aison.

"His work... is often semething more than history, and above it; it is plicopoly, it is theology, it is wit and eloquence, it is criticism the most masterly on every subject with which literature can be connected."—For, Smyth.

"His book, in spite of its faults, will always be a noble work."—Guiast.

"His equence and his great skill in representation give a charm and splendor to the thoughts which he wishes to disseminate."—Schlesser (translated by Davidson).

Knight's History of England.

Popular History of England, by Charles Knight. Complete in 4 vols. 12mo. Nearly 5.00 pages, beautiful new bourgeois type, with Illustrations. Nearly and strongly bound in extra cloth, \$3.00; in clegant and durable haif Russia, gift top, \$5.00. Postage, 45 cents. Just ready.

This greatest work of one of the most justly celebrated authors of modern times covers the entire period of English history from earliest times to the present, in this respect differing from the works of Hume, Maculay, Froude and others, each of which covers but a hort period of time. Unit renoully in has not been published in this country at a less price than \$25.00; in 1878 an edition printed in the same type as the one now issued by us, but without illustrations, was published at \$1000. As issued by ns, Knoart SEALAN, in type, paper, illustrations, printing and binding, is all that can be desired by the general reader.

"The best history of England for the general reader. For a single history which may serve for constant use and reference in the library, or for frequent reading, it is to be preferred to every other."—Noad Porter, "We very cordially recommend these volumes. We know of no history of England so free from prejudice, so thoroughly honest and impartial, so stored with facts."—London Atheansm.

"Its literary merits are of a very high order; indeed, nothing has ever specared superior, if anything has been published equal, to the account of the state of, commerce, government and society at different periods."—Lord Broughouses.

"Mr. Knight's hook was." deserves its name; it will be emphatically popular, and it will gain its popularity by genuine meris. It is as good a book of the kind as ever was written."—Frainfaster Review.

"The last and greatest histoary work of his life. This history will remain, for many a long day, a standard."

Rollin's Ancient History.

Ancient History of the Egyptians, Carthagenians, Assyrians, Babylonions, Medes and Persians, Grecians and Macedonians, including a history of the arts and sciences of the ancients, by Charles Rollin. In one wery large octave volume, 1,318 double-column pages, very large clear type. Price, strongly bound in cloth, 20, 205; in half Russia, sprinkled edges, 20, 75; postage 62 cents.

For more than a hundred years Bollin's Ancient History has ranked with the bost of great historical works. The author has been especially noted for the latense interest with which he clothes his subject, so that his history has found its way into the house of the unlearned, as well as into the library of the scholar. The edition being Issued by as is not only the best edition which is now offered to the public at any price, but is cheen, quite beyond comparison with the cheapest and most inferior editions.

Comic History of the United States.

By L. Hopkins. Copiously Illustrated by the Author, from 8 extra, Ebony and Gold. Price, 56 cents; Postage, 7 cen

Verdict of Press and People.

"It is a marvel in book-making, "—Telegraph, Pittsburgh.

"We country parsons can now fill our shelves."—Ree, C. H. A. Buikley, Port Henry, N. Y.

"The American Book Exchange is solving the important problem."—Eversing Journal, Chicago.
"We unheaitatingly indorse the American Book Exchange, and commond its course is bringing the best literasure within reach of all classes."—Control Reptot, St. Louis.

"I regard Mr. Aldes as a benefactor, and shall endeavor to disseminate a knowledge of him and his wares among my acquaintances."—C. H. Berdman, St. Pani, Minn.
"Has some rich relative left, you a colossal fortune which you are spending in publishing books for the people at noss halp prices." If so, I admire your taste. But won't the obl-line publishers be giad when it is "Your lives will be intolerable without this work. Bend and get it: we can't lend ours."—Since Journal, Jefferson City, Mo.

"The American Book Exchange deserves credit for the part it is taking in popularizing standard literature.—Christon Uston, New York."

"The cheapest publication ever given to the public."—Courier, Syracuse.

"A marvel of cheapness and excellence."—Bookseller, Chicago.
"Deserves bearty praise for neatness and attractiveness."—Proce, Newark, N. J.

"The American Book Exchange is doing a very remarkable work."—Journal, Booton.

"Among the marves in cheap reprints."—Herseld, New York.
"Checkeride, Montpeller.

"The characters in cheap reprints."—Herseld, New York.
"The American Book Exchange is doing a very remarkable work."—Journal, Booton.

"The catalogue is a most astonishing exhibit of good things at low prices. An opportunity never before presented."—Smeday Press, Philadelphia.
"We were surprised into increduity by the announcement. . . We have procured the volume, and and it even so."—Reignous Herseld, Reserved as Appleton's splendid work, at just one
"The Labrary of Universal Knowledge is as comprehensive as Appleton's splendid work, at just one

"He is wonderful how such a useful and valuable work can be sold for so low a price." Freely such that the price "—centised, Lewiston, Fa.

"The Library of Universal Knowledge is as comprehensive as Appleton's splendid work, at just one tenth the price "—centised, Lewiston, Fa.

"A marvel of good binding and printing."—Daily Graphic, N. Y.

"A acquisition to the library of the real lover of books, who values contents rather than covers. It is scarcely an exageration to say the prices average one-tenth of the standards from which they are reprinted."—Flower Free, St. Fall.

"Marvelously cheap."—Coverad, Hartford, Conn.

"It is a rare book for the price."—Christian Secretary, Hartford.
"Hemarkably cheap. . . exceedingly convenient and tanteful "—Christian Intelligencer, N. Y.
"A marvel in the book-making line."—Freehysterian Banner, Fittaburgh.

Other Standard Books.

Library of Universal Knowledge, 20 vols., \$5.0.
Chambers's Cyclopedia of Eng. Literature, 4 vols., \$2.
Plutarch's Lives of Illustrious Men. 3 vols., \$1.50.
Geikie's Lite and Words of Christ, 50 cents.
Toung's Bible Concordance, Ill., 60 references preparing, 50.
paring, 58.
Biography, 80 cents.
Book of Fables. Eaop., etc., illus., 80 cents.
Book of Fables. Eaop., etc., illus., 80 cents.
Book of Fables. Eaop., etc., illus., 80 cents.
Shakespoare's Complete Feetical Works, 50 cents.
Shakespoare's Complete Works, 75 cents.
Works of Points, translated by Dryden, 60 cents.
The Koran of Mohammed, translated by Pais, 55 cts.
Adventures of Don quixole, illus., 50 cents.
Adventures of Don Quixole, illus., 50 cents.
Library Magazine, bound volume, 60 cents.
Library Magazine, bound volume, 60 cents.
Library Magazine, bound volume, 60 cents.
Leaves from the Diary of an old lawyer, \$1,
Each of the above bound in cloth. Irby mail, post age extrs. Most of the books are also published in fine control of the cont

AMERICAN BOOK EXCHANGE,

Tribune Building, New York.



\$\$50 Screw Cutting Foot Lathe. Foot and Power Lathes, Drill Presses, Scrolls, Circular and Band Saws, Saw Attachmenta, Chucks, Mandrels, Twist Drilla, Dogs, Calipers, etc. Send for catalogue of outilts for amateurs or artisans.

H. L. SHEPARD & CO., 231, 333, 335. & 337 West Front Street, Clucinuati, Ohio.

THE DRIVEN WELL. Town and County privileges for making Driven Wells and selling Licenses under the established American Driven Well Patent, leased by the year to responsible narries.

WM. D. ANDREWS & BRO., 235 BROADWAY, NEW YORK.

Pond's Tools, DAVID W. POND, Worcester, Mass.

ARTESIAN WELLS B ENNSYLVANIA . DIAMOND DRILL CO

Driven or Tube Wells furnished to large consumers of Croton and Ridgewood Water, WM, D. ANDREWS & BRO., 25 Broadway, N.Y., who control the patent for Green's American Driven Well.

Master Mechanic for Steel Rolling Mill. Must be a first-ciass Engineer and Roll Turner, and competent to super-intend all Mill Machinery, steady and industrious, with good recommendations. Position permanent, with good pay. Address MANAGER, Box 778, New York.

The George Place Machinery Agency
Machinery of Every Description,
Machinery of Every Description, Now York.



ROCK BREAKERS & ORE CRUSHERS. This machine has for twenty years stood the waves STYLE.)

THE "BLAKE" STYLE.)

This machine has for twenty years stood the TEST, and found to be the best one made for eaking all kinds of hard and brittle substances, such as ORES, QUANTE, EMERY, etc., etc.

Mr. S. L. Marsden, for the past twenty years connected with the manufacture of the achine, superintends its manufacture.

HARREL FOUNDRY AND MACHINE CO., Manufrs., Ansonia, Cons.

(MOSS'S NEW PROCESS,)

PEARL STREET, COR.

ONE BLOCK FROM BROADWAY,

JOHN C. MOSS, Supt.

NEW YORK.

Mr. John C. Moss, having disposed of all his interest in the Photo-Engraving Co., 67 Park Place, has arranged with this Company to superintend its operations, which will be conducted on an extensive scale under the improved process recently invented by him, which is greatly superior to the old. The lines are much deeper, and the cost of production much less.

OUR MOTTO IS

"THE BEST WORK AT LOW PRICES, ALWAYS ON TIME."


Parties having engraving to do, will find it to their interest to give our NEW METHOD a trial.

Patented November 18, 1879.

Patented November 18, 1879.

For Macadam Read making, Ballasting of Railreads, Crushing Orea, use of Iran Faronces, etc. Bapidly supersoding our older styles of Blake Crusher on account of its superior strength, efficiency, and rimplicity. Adopted by important Railway and Mining Corporations, Cities, and Towns.

BLAKE CRUSHER CO., Sola Mat.



Wood-Working Machinery,

Such as Woodworth Planing, Tonguing, and Grooving Machines, Daniel's Planers, Richardson's Patent Improved Tenon Machines, Mortising, Moulding, and Re-Saw Machines, Eastman's Pat. Miter Machines, and Wood-Working Machines; generally, Manufactured by WITHERBY, RUGG & RICHARDSON, 25 Salisbury Street, Worcester, Mass. (Shop formerly occupied by R. BALL & CO.)

B. W. PAYNE & SUNS, CORNING, N. Y. Patent Spark-Arresting Engines, nounted and on skids.
Vertical Engines with wro't boliers. Eureka Safety powers with Sectional boliers—can't be exploded. All From \$150 to \$2,000.
Send for Circular. State where you saw this.

JOHN R. WHITLEY & CO.



Legant Autograph Album, glit covers, 48 pages, illustrated with birds, scrolls, etc., in colors and 47 Select Quotations, 15c. Agents' Outfit for Cards (over 60 samples), 10c. Davins & Co., Northford, Ct.

Advertisements.

inside Page, each insertion --- 75 cents a line tiack Page, each insertion --- \$1.00 a line.

(Arout eight words to a line.)

The publishers of this paper guarantee to adver-tisers a circulation of not less than 30,000 copies every weekly issue.

METALS

mportant Books on Metals, Metal Mining, Metal Working, Assaying, Assaying, Assaying, etc. aucrana.—A Treatise on the Metalluray of Iron. Containing Outlines of the History of Iron, Mandrature, Methods of Assay and Assaysis of Iron Ores, Processes of Manufacture of Iron and Steel Illus. Emo. 81.00 Hinn.—Practical Workshop Companion for Tin. Sheet Iron, and Copper Piate Workers. 101 Hins. Iron, 81.00 yrne.—The Practical Metal Worker's Assistant. Comprising Metalluryte Chemistry the Area and Steel Saying and Founding: Workshop History of the Metals; Soldering; and Founding: Works in Sheet Metal; Casting and Founding: Works in Sheet Metal; the Processes Dependent on the Ductility of the Metals; Soldering; and the most improved Frocesses. By Oliver Byrns. With the application of the Art of Theorems and Thousering Processes. By Oliver Byrns. With the application of the Art of Theorems and Thousering; and Founding Processes. By Oliver Byrns.

With the Art of Theorems of Metallury to Manufacturing Processes. By Oliver Byrns.

With the Art of Theorems of Metallic Processes and Maleable Iron Castings and Improvements in Bessener Steel. By A. A Feaguet. With over 600 engravings. \$1.00 writes.—A Treatnes on Metalliferous Minerals and Mining. By D. C. Bavies, F.G.S., Mining Engineer, Examinate of Mines, Quarries, and Colleries. In ovolume, Ilmo, 400 pc. Mining Engineer, Examinate of Mines, Quarries, and Colleries. In ovolume, Ilmo, 400 pc. Mining Engineer, Examinate of Mines (Malays) and Assaying As A popiled to the Manufacture of Malaysia and Assaying: As Applied to the Manufacture.

policibles to Manufacturing Processes. Hinattraphysics of Chemical Ballysis; or Practical Instructions for the Determination of the Instruction for the Commercial Value of Submances used in Manufactures, in Trackes, and the Arts. ditted by H. M. Nead. 12mo.

15. Determination of Manufactures, in Trackes, and the Arts. ditted by H. M. Nead. 12mo.

15. Determination of Manufactures, in Trackes, and the Arts. of Manufactures, in the Arts, of the Trackes of Manufactures, in the Arts, of the Arts, o

Bland Street and Steel theoretical and Steel theoretical and Soci. In all its branches, with special reference to rices materials and precessing. Hussirated by rous large folding plates and wood engravings. and Stown.—New Guide to the Sheet Iron and Drillorton.—Revent of the Sheet Iron and Darlington.—Revent of the Sheet Iron . Records of Mining and Me

ss the publication prices.

si enlarged Caralacture of Practical and Books, Spages, Evot a Catalogue of Books (Calico Pielettes, Evot a Catalogue of Books (Calico Pielettes, Evot a Catalogue of a choice of Practical, Schwiffer, and Economic List of Books on Stram and The Stram Robanics, MacRingert, and Eschmenther (Industry and Eschmenther of Hopping and Books on Metalethory, Mitgert of Hatbelle (Research Anlysis, etc. die; List of Books on Minney, Minney, Colal, ed., die; to Catalogue of Hooks ets on Social Schwerter, Political Economics, Popularion, Palethers, and Rindred Catalogue of recent additions to our scock all. Schwerter of Economics and Social Schwerter.

Industrial Publishers, Booksellers, and Imposite WALNUT STREET, PHILADELPHIA.

ROCK DRILLING MACHINES AIR COMPRESSORS

Lathes, Planers, Shapers 52 Gold Crystal Lace, Perfumed, and Chromo Carda.

Drills, Reit and Geer Critices, Million Machines, Seedal

PORTLAND CEMENT, K. B. & S. AND BURHAM CEMENTS.
For mic by JAMES BRAND, 5 Beatman St. New York.

SEE SPECIAL TANITE ADVERTISEMENT

ON INSIDE PAGE

HE HOLLT STEAM HEATIN

The New York Ice Machine Company

Il COURTLANDT STREET. ROOM 54.

Low Pressure Binary Absorption Nystem.

Advantages over other Machines.

Makes 25 per cent. more ice. Uses only 4 water of condensation. No Fressure at rest. Pressure in running.

14 pounds. Self-lubricating. No Leaks, non-inflammable. No action on Metals. Easy Attendance.

IMPLEMENTS, MACHINERY, ETC.
Catalogues, prices, and Agency terms solicited. Unexceptional references. OBKAR NETZLER, Agent in
Brisbane, Queensland, Australia.



COLUMBIA BICYCLE A practical road machine. Indorsad by the medical profession as the most healthful of outdoor spots, one of the control of the page of the process for earth page of the process for eattalogue and copy of The Dicycling Fords.

Bicycling Fords.

Summer Street, Boston, Mass.

MACHINISTS' TOOLS. NEW AND IMPROVED PATTERNS. Bend for new illustrated catalogue.

Lathes, Planers, Drills, &c.
NEW HAVEN MANUFACTURING CO.,
New Haven, Conn.



STILES & PARKER PRESS CO., Middletown, Cor

Working Models
And Experimental Machinery, Metal or Wood, made ander by J. F. WERNER, dr Centre St., N. Y.

ROOTS' NEW IRON BLOWER.



POSITIVE BLAST. IRON REVOLVERS, PERFECTLY BALANCED IS SIMPLER, AND HAS FEWER PARTS THAN ANY OTHER BLOWER. P. H. & F. M. ROOTS, Manufre,

CONNERSVILLE, IND. S. S. TOWNSEND, Gen. Agt., \$6 Corllandt St., 8 Dey Street, WM. COOKE, Selling Agt., 6 Corllandt Street, JAS, BEGGS & CO., Selling Agts., 8 Dey Street, Park SEND FOR PRICED CATALOGUE.

A New Spinning Band.

ROWBOTTOM'S PATENT DOUBLE LOOPED SPINNING BAND. Suitable for all kinds of Spinning and Doubling Frames for Woolen, Worsted, Cotton, Flax, or other fibrons substances. IS FREE FROM HNOTS, neek, speedily adjusted, runs steadily, and avoids the annoyanse of Lint. Price, fifty cents per pund, delivered at the mill. Sample orders solicited, State kind of machinery, diameter of Driving Cylader, and actual length required when in operation.

STODIA ED. A. W. R. FREE & C. C., Sole Agents, St. 16 Milk Street, Hoston, Mass.



Dette, Bott and Goor Cuttery, Milling Machines. See all NEW FLORAL AUTOGRAPH ALBUN. Machinery. E. GOULD & ROBERT LEUY, Newark, N.J. NEW FLORAL AUTOGRAPH ALBUN.



WOOD SOLE SHOES, The cheapest, most durable warm good looking, and the roughly waterproof shoe. Par-ticularly adapted to Brewers Miners, and all classes of labor-ers. Send stamp for circular and price list. CHAS. W. COPELAND, 122 Summer St., Boston, Mass.

HARTFORD

STEAM BOILER

Inspection & Insurance COMPANY.

W. B. FRANKLIN, V. Pres't. J. M. ALLEN, Pres't. J. B. PIERCE, See'y.

BOILER COVERINGS ratent "AIR SPACE" Method.
ASBESTOS MATERIALS,

Made from pure Italian Assessos, in inder, mill board, and round packing. THE CHALMERS—SPENCE CO., 40 John Street, and Foot of E. Sch-Street, New York.

ORGAN BEATTY PLANO



"BUCKEYE" LAWN MOWER. MAST, FOOS & CO. Springfield, Ohio. Send for catalogue.

Mill Stones and Corn Mills

J. T. NOYE & SON, Buffalo, N. Y.

Pyrometers, for showing heat of Oyens, Hot filast Fipes, Boiler Fines, Superheated Steam, Oil Sills, other, HENRY W. BULKLEY, Sole Manufacturer, Let Broadway, N. T.

The Asbestos Packing Co.,

Miners and Manufacturers of Assesses,

BOSTON, MASS.,

OFFER FOR SALE:

PATENTED ASSESTOS ROPE PACKING,

" JOURNAL "

WICK "

WICK "

MILL BOARD,

SHEATHING PAPER,

FLOORING FELT.

CLOTH.

PATENT **Galvanized Iron Tackle Blocks**

GENUINE BABBITT METAL E. STEBBINS M'F'G CO., SPRINGFIELD, MASS.

The Rodier Patent Single Iron Plane.

iron plane ever produced. Add FACTURING CO., North Elm St.

THE NORWALK IRON WORKS CO.,

BIG PAY to sell our Subber Printing Stamps. Samples free. Taylor Bros. & Co., Cleveland, O.



THE TANITE CO STROUDSBURG, PA.

EMERY WHEELS AND CRINDERS.

LONDON-48t. Andrews 8t., Holbora Viaduet, E. C.
LIVERPOOL-48 The Temple, Dale 8t.

A USEFUL UNITED STATES PATENT FOR SALE, address JOSEPH SEILER, Norwalk, Conn.

H. W. JOHNS M'F'G CO., 87 Maiden Lane, New York,



"RELIABLE

Address, for circular, SISCO & CO. HEALD, Baldwinsville, N. Y.

\$777 A YEAR and expenses to agents. Outfit Free



Gear Molding without Patterns

Scott's Gear Moulding Machines, AIR COMPRESSORS & ROCK DRILLS.

DELAMATER IRON WORKS, Boiler Makers, Engine Builders,

FOOT OF W. 13th ST., North River, NEW YORK.



PRIEDMANN'S PATENT

Elevating Water and Conveying Liquids com Mines, Quarries, Ponds, Rivers, Wells, Wher or use In R. R. water Stations, Factories, etc. es splendidly adapted for conveying liquids in ries, Distilleries, Sugar Enfineries, Faper Mills, 7 a, Chemical Works, etc. Sund for Illus, catalog

NATHAN & DREYFUS, e Manufacturers, NEW YORK.



BOYLE ICE MACHINE CO. 10 N. Jefferson St., Chicago, Ill.
The best Ice and Refrigerating Machines of all sises at
for all purposes guaranteed. Send for circular.

TELEPHONE Works 1 mile.

ARTIFICIAL ICE COMPANY, Limited, los Machines to make from 20 pounds per hour to 30 tons per day, at 30 Corliand St., New York, P. O. Sox 300.



HARRIS-CORLISS ENGINE
With Harris' Patented Imprevements,
from 16 to 1,000 H. P.

THE "Scientific American" is printed ENEU JOHNSON & CO.'S INK. Tenbard Sts., Philadelphia, and 50 Gold St., Ne